

S6 Typ 4B (220Kw) (Ø 57.0 mm.)

Mod.	Dim.	ET:	PCD	Code
5800	7J16H2	35	5/112	F16
5800	7.5J17H2	35	5/112	F16
6200	7J16H2	35	5/112	F16
6200	7J17H2	35	5/112	F16
7200	7.5J18H2	28	5/112	F16
7200	8J18H2	38	5/112	F16
7300	8J18H2	38	5/112	F16
7400	7J16H2	35	5/112	F16
7400	7.5J17H2	35	5/112	F16
7400	8J18H2	42	5/112	F16
7500	7J16H2	35	5/112	F16
7500	7.5J17H2	35	5/112	F16
7500	8J18H2	42	5/112	F16
7600	7J16H2	35	5/112	F16
7600	7.5J17H2	35	5/112	F16
7600	8J18H2	42	5/112	F16
7800	7J16H2	35	5/112	F31
7800	8J18H2	38	5/112	F31
TECH5	7J16H2	35	5/112	F16
TECH5	8J18H2	38	5/112	F16
TECH6	7.5J17H2	35	5/112	F31
TECH6	8J18H2	42	5/112	F31
9GR	7.5J17H2	35	5/112	F16
9GR	8J18H2	38	5/112	F16

RS6 Typ 4B (331Kw) (Ø 57.0 mm.)

Mod.	Dim.	ET:	PCD	Code
9X	9J19H2	25	5/112	F16
9GR	9J19H2	25	5/112	F16

RS4 Typ B5 (280KW) (Ø 57.0 mm.)

Mod.	Dim.	ET:	PCD	Code
7200	7.5J18H2	28	5/112	F16
7200	8J18H2	25	5/112	F16
7300	8J18H2	25	5/112	F16
7400	8J18H2	25	5/112	F16
7500	8J18H2	25	5/112	F16
7600	8J18H2	25	5/112	F16
7600	8J19H2	25	5/112	F16
7800	8J18H2	25	5/112	F31
TECH5	8J18H2	25	5/112	F16
TECH6	8J18H2	25	5/112	F31
9X	8J18H2	25	5/112	F16
9X	9J18H2	25	5/112	F16
9X	8J19H2	25	5/112	F16
9X	9J19H2	25	5/112	F16
9GR	8J18H2	25	5/112	F16
9GR	9J18H2	25	5/112	F16
9GR	8J19H2	25	5/112	F16
9GR	9J19H2	25	5/112	F16

A2 (Ø 57.0 mm.)

Mod.	Dim.	ET:	PCD	Code
5800	7J15H2	35	5/100	F16
5800	7J16H2	35	5/100	F16
5800	7.5J17H2	35	5/100	F16
6200	7J15H2	35	5/100	F16
6200	7J16H2	35	5/100	F16
6200	7J17H2	35	5/100	F16
6800	7J15H2	35	5/100	F16
6800	7J16H2	35	5/100	F16
6800	7.5J17H2	35	5/100	F16
7200	6.5J15H2	35	5/100	F16
7200	7J16H2	35	5/100	F16
7200	7J17H2	35	5/100	F16
7300	7J15H2	35	5/100	F16
7300	6.5J16H2	35	5/100	F16
7300	7J17H2	35	5/100	F16
7400	7J16H2	35	5/100	F16
7400	7.5J17H2	35	5/100	F16
7500	7J16H2	35	5/100	F16
7500	7.5J17H2	35	5/100	F16
7600	7J16H2	35	5/100	F16
7600	7.5J17H2	35	5/100	F16
7800	7J16H2	35	5/100	F16
7800	7J17H2	35	5/100	F16
TECH5	7J15H2	35	5/100	F16
TECH5	7J16H2	35	5/100	F16
TECH5	7.5J17H2	35	5/100	F16
TECH6	7.5J17H2	35	5/112	F16
9X	7.5J17H2	35	5/100	F16
9GR	7.5J17H2	35	5/100	F16

Q7 (Ø 71.50 mm.)

Mod.	Dim.	ET:	PCD	Code
7600	8.5J20H2	52	5/130	/
7700-1	8.5J18H2	40	5/130	/

TT Typ 8N (Ø 57.0 mm.)

Mod.	Dim.	ET:	PCD	Code
5800	7J16H2	28	5/100	F16
5800	7.5J17H2	35	5/100	F16
6200	7J16H2	28	5/100	F16
6200	7J17H2	35	5/100	F16
6800	7J16H2	35	5/100	F16
6800	7.5J17H2	35	5/100	F16
7200	7J16H2	35	5/100	F16
7200	7J17H2	35	5/100	F16
7200	7.5J18H2	28	5/100	F16
7200	8J18H2	25	5/100	F16
7300	6.5J16H2	35	5/100	F16
7300	7J17H2	35	5/100	F16
7300	8J18H2	25	5/100	F16
7400	7J16H2	35	5/100	F16
7400	7.5J17H2	35	5/100	F16
7400	8J18H2	25	5/100	F16
7500	7J16H2	35	5/100	F16
7500	7.5J17H2	35	5/100	F16
7500	8J18H2	25	5/100	F16
7600	7J16H2	35	5/100	F16
7600	7.5J17H2	35	5/100	F16
7600	8J18H2	25	5/100	F16
7600	8J19H2	25	5/100	F16
7800	7J16H2	35	5/100	F16
7800	7J17H2	35	5/100	F16
7800	8J18H2	25	5/100	F16
TECH5	7J16H2	28	5/100	F16
TECH5	7.5J17H2	35	5/100	F16
TECH5	8J18H2	25	5/100	F16
TECH6	7.5J17H2	35	5/100	F16
TECH6	8J18H2	25	5/100	F16
9X	7.5J17H2	35	5/100	F16
9X	8J18H2	25	5/100	F16
9X	8J19H2	25	5/100	F16
9GR	7.5J17H2	35	5/100	F16
9GR	8J18H2	25	5/100	F16
9GR	8J19H2	25	5/100	F16

A3 (Ø 57.0 mm.)

Mod.	Dim.	ET:	PCD	Code
5800	7J15H2	28	5/100	F16
5800	7J16H2	35	5/100	F16
5800	7,5J17H2	35	5/100	F16
6200	7J15H2	28	5/100	F16
6200	7J16H2	28	5/100	F16
6200	7J17H2	35	5/100	F16
6800	7J15H2	35	5/100	F16
6800	7J16H2	35	5/100	F16
6800	7,5J17H2	35	5/100	F16
7200	6,5J15H2	35	5/100	F16
7200	7J16H2	35	5/100	F16
7200	7J17H2	35	5/100	F16
7200	7,5J18H2	28	5/100	F16
7200	8J18H2	25	5/100	F16
7300	7J15H2	28	5/100	F16
7300	6.5J16H2	35	5/100	F16
7300	7J17H2	35	5/100	F16
7300	8J18H2	25	5/100	F16
7400	7J16H2	35	5/100	F16
7400	7,5J17H2	35	5/100	F16
7400	8J18H2	25	5/100	F16
7500	7J16H2	35	5/100	F16
7500	7,5J17H2	35	5/100	F16
7500	8J18H2	25	5/100	F16
7600	7J16H2	35	5/100	F16
7600	7,5J17H2	35	5/100	F16
7600	8J18H2	25	5/100	F16
7600	8J19H2	25	5/100	F16
7800	7J16H2	35	5/100	F16
7800	7J17H2	35	5/100	F16
7800	8J18H2	25	5/100	F16
TECH5	7J15H2	28	5/100	F16
TECH5	7J16H2	28	5/100	F16
TECH5	7,5J17H2	35	5/100	F16
TECH5	8J18H2	25	5/100	F16
TECH6	7,5J17H2	35	5/100	F16
TECH6	8J18H2	25	5/100	F16
9X	7,5J17H2	35	5/100	F16
9X	8J18H2	25	5/100	F16
9X	8J19H2	25	5/100	F16
9GR	7,5J17H2	35	5/100	F16
9GR	8J18H2	25	5/100	F16
9GR	8J19H2	25	5/100	F16

TT Typ 8N (184Kw) (Ø 57.0 mm.)

Mod.	Dim.	ET:	PCD	Code
7200	7,5J18H2	28	5/100	F16
7200	8J18H2	25	5/100	F16
7300	8J18H2	25	5/100	F16
7400	8J18H2	25	5/100	F16
7500	8J18H2	25	5/100	F16
7600	8J18H2	25	5/100	F16
7600	8J19H2	25	5/100	F16
7800	8J18H2	25	5/100	F16
TECH5	8J18H2	25	5/100	F16
TECH6	8J18H2	25	5/100	F16
9X	8J18H2	25	5/100	F16
9X	8J19H2	25	5/100	F16
9GR	8J18H2	25	5/100	F16
9GR	8J19H2	25	5/100	F16

Q5 Typ 8R (120-155 Kw) (Ø 66.5 mm.)

Mod.	Dim.	ET:	PCD	Code
7200*	8J18H2	30	5/112	F31
7300*	8J18H2	30	5/112	F31
7400*	7,5J17H2	30	5/112	F31
7400*	8J18H2	30	5/112	F31
7500*	7,5J17H2	30	5/112	F31
7500*	8J18H2	30	5/112	F31
7600*	7,5J17H2	30	5/112	F31
7600*	8J18H2	30	5/112	F31
7800*	8J18H2	30	5/112	F31
TECH5*	7,5J17H2	30	5/112	F31
TECH6*	7,5J17H2	30	5/112	F31
TECH6*	8J18H2	30	5/112	F31
9X*	7,5J17H2	35	5/112	F31
9X*	8J18H2	30	5/112	F31
9GR*	7,5J17H2	30	5/112	F31
9GR*	8J18H2	30	5/112	F31

* indicare il tipo di vettura sull'ordine

Bei Bestellung bitte den genauen Fahrzeugtyp aufführen

Please specify vehicle type on the order form

Indiquen el tipo de coche en el pedido

A5 Typ B8 (Ø 66.5 mm.)

Mod.	Dim.	ET:	PCD	Code
7200*	8J18H2	30	5/112	F31
7300*	8J18H2	30	5/112	F31
7400*	7,5J17H2	30	5/112	F31
7400*	8J18H2	30	5/112	F31
7500*	7,5J17H2	30	5/112	F31
7500*	8J18H2	30	5/112	F31
7600*	7,5J17H2	30	5/112	F31
7600*	8J18H2	30	5/112	F31
7800*	8J18H2	30	5/112	F31
TECH5*	7,5J17H2	30	5/112	F31
TECH6*	7,5J17H2	30	5/112	F31
TECH6*	8J18H2	30	5/112	F31
9X*	8J18H2	30	5/112	F31
9X*	9J18H2	25	5/112	F31
9X*	9J19H2	25	5/112	F31
9GR*	7,5J17H2	30	5/112	F31
9GR*	8J18H2	30	5/112	F31
9GR*	9J18H2	25	5/112	F31
9GR*	9J19H2	25	5/112	F31

* indicare il tipo di vettura sull'ordine

Bei Bestellung bitte den genauen Fahrzeugtyp aufführen

Please specify vehicle type on the order form

Indiquen el tipo de coche en el pedido

A6 Typ 4B (Ø 57.0 mm.)

Mod.	Dim.	ET:	PCD	Code
5800	7J15H2	35	5/112	F16
5800	7J16H2	35	5/112	F16
5800	7,5J17H2	35	5/112	F16
6200	7J15H2	35	5/112	F16
6200	7J16H2	35	5/112	F16
6200	7J17H2	35	5/112	F16
6800	7J16H2	35	5/112	F16
6800	7,5J17H2	35	5/112	F16
7200	7J16H2	35	5/112	F16
7200	7J17H2	35	5/112	F16
7200	7,5J18H2	38	5/112	F16
7200	8J18H2	38	5/112	F16
7300	7J15H2	35	5/112	F16
7300	6.5J16H2	35	5/112	F16
7300	7J17H2	35	5/112	F16
7300	8J18H2	38	5/112	F16
7400	7J16H2	35	5/112	F16
7400	7,5J17H2	35	5/112	F16
7400	8J18H2	42	5/112	F16
7500	7J16H2	35	5/112	F16
7500	7.5J17H2	35	5/112	F16
7500	8J18H2	42	5/112	F16
7600	7J16H2	35	5/112	F16
7600	7.5J17H2	35	5/112	F16
7600	8J18H2	42	5/112	F16
7600	8J19H2	42	5/112	F16
7800	7J16H2	35	5/112	F31
7800	7J17H2	35	5/112	F31
7800	8J18H2	38	5/112	F31
TECH5	7J15H2	35	5/112	F16
TECH5	7J16H2	35	5/112	F16
TECH5	7,5J17H2	35	5/112	F16
TECH5	8J18H2	38	5/112	F16
TECH6	7,5J17H2	35	5/112	F31
TECH6	8J18H2	42	5/112	F31
9X	7,5J17H2	35	5/112	F16
9X	8J18H2	38	5/112	F16
9X	9J18H2	35	5/112	F16
9X	8J19H2	38	5/112	F16
9X	9J19H2	35	5/112	F16
9GR	7,5J17H2	35	5/112	F16
9GR	8J18H2	38	5/112	F16
9GR	9J18H2	35	5/112	F16
9GR	8J19H2	38	5/112	F16
9GR	9J19H2	35	5/112	F16

excl. Mod. A6 Biturbo

A6 ALLROAD Typ 4B (Ø 57.0 mm.)

Mod.	Dim.	ET:	PCD	Code
7200	7,5J18H2	28	5/112	F16
7200	8J18H2	25	5/112	F16
7300	8J18H2	25	5/112	F16
7400	8J18H2	25	5/112	F16
7500	8J18H2	25	5/112	F16
7600	8J18H2	25	5/112	F16
7600	8J19H2	25	5/112	F16
7800	8J18H2	25	5/112	F31
TECH5	8J18H2	25	5/112	F16
TECH6	8J18H2	25	5/112	F31
9X	8J18H2	25	5/112	F16
9X	9J18H2	25	5/112	F16
9X	8J19H2	25	5/112	F16
9X	9J19H2	25	5/112	F16
9GR	8J18H2	25	5/112	F16
9GR	9J18H2	25	5/112	F16
9GR	8J19H2	25	5/112	F16
9GR	9J19H2	25	5/112	F16

A3 Mod.03 ⇒ Sportback (103Kw) (Ø 57.0 mm.)

Mod.	Dim.	ET:	PCD	Code
7200 *	7J16H2	50	5/112	F16
7200 *	7J17H2	50	5/112	F16
7200 *	7,5J18H2	48	5/112	F31
7200 *	8J18H2	48	5/112	F31
7300	6.5J16H2	48	5/112	F16
7300	7J17H2	50	5/112	F16
7300	8J18H2	48	5/112	F16
7400	7J16H2	50	5/112	F16
7400	7.5J17H2	48	5/112	F16
7400	8J18H2	48	5/112	F16
7500	7J16H2	50	5/112	F16
7500	7.5J17H2	48	5/112	F16
7500	8J18H2	48	5/112	F16
7600	7J16H2	50	5/112	F16
7600	7.5J17H2	48	5/112	F16
7600	8J18H2	48	5/112	F16
7600	8J19H2	48	5/112	F16
7600	8.5J20H2	42	5/112	F31
7800	7J16H2	50	5/112	F31
7800	7J17H2	50	5/112	F31
7800	8J18H2	48	5/112	F31
TECH5	6.5J16H2	50	5/112	F16
TECH5*	8J18H2	50	5/112	F16
TECH6	7.5J17H2	48	5/112	F31
TECH6	8J18H2	48	5/112	F31
9GR	7.5J17H2	48	5/112	F16
9GR	8J18H2	48	5/112	F16
9GR	9J18H2	45	5/112	F16
9GR	8J19H2	48	5/112	F16
9GR	9J19H2	45	5/112	F16

* indicare il tipo di vettura sull'ordine

Bei Bestellung bitte den genauen Fahrzeugtyp aufführen

Please specify vehicle type on the order form

Indiquen el tipo de coche en el pedido

A4 Typ 8E (96-150Kw) (Ø 57.0 mm.)

Mod.	Dim.	ET:	PCD	Code
5800	7J16H2	35	5/112	F16
5800	7,5J17H2	35	5/112	F16
6200	7J16H2	35	5/112	F16
6200	7J17H2	35	5/112	F16
6800	7J16H2	35	5/112	F16
6800	7,5J17H2	35	5/112	F16
7200	8J18H2	38	5/112	F16
7300	7J17H2	35	5/112	F16
7300	8J18H2	38	5/112	F16
7400	7J16H2	35	5/112	F16
7400	7,5J17H2	35	5/112	F16
7400	8J18H2	42	5/112	F16
7500	7J16H2	35	5/112	F16
7500	7.5J17H2	35	5/112	F16
7500	8J18H2	42	5/112	F16
7600	7J16H2	35	5/112	F16
7600	7.5J17H2	35	5/112	F16
7600	8J18H2	42	5/112	F16
7600	8J19H2	42	5/112	F16
7800	7J16H2	35	5/112	F31
7800	7J17H2	35	5/112	F31
7800	8J18H2	38	5/112	F31
TECH5	7J16H2	35	5/112	F16
TECH5	7,5J17H2	35	5/112	F16
TECH5	8J18H2	38	5/112	F16
TECH6	7,5J17H2	35	5/112	F31
TECH6	8J18H2	42	5/112	F31
9X	8J19H2	38	5/112	F16
9X	9J19H2	35	5/112	F16
9GR	7,5J17H2	35	5/112	F16
9GR	8J18H2	38	5/112	F16
9GR	9J18H2	35	5/112	F16
9GR	8J19H2	38	5/112	F16
9GR	9J19H2	35	5/112	F16

A6,A6 Avant Typ 4F (130-165KW) (Ø 57.0 mm.)

Mod.	Dim.	ET:	PCD	Code
5800	7J16H2	35	5/112	F16
5800	7,5J17H2	35	5/112	F16
6200	7J16H2	35	5/112	F16
6200	7J17H2	35	5/112	F16
6800	7J16H2	35	5/112	F16
6800	7,5J17H2	35	5/112	F16
7200	7J16H2	35	5/112	F16
7200	7J17H2	35	5/112	F16
7200	8J18H2	38	5/112	F16
7300	7J17H2	35	5/112	F16
7300	8J18H2	38	5/112	F16
7400	7J16H2	35	5/112	F16
7400	7,5J17H2	35	5/112	F16
7400	8J18H2	42	5/112	F16
7500	7J16H2	35	5/112	F16
7500	7.5J17H2	35	5/112	F16
7500	8J18H2	42	5/112	F16
7600	7J16H2	35	5/112	F16
7600	7.5J17H2	35	5/112	F16
7600	8J18H2	42	5/112	F16
7600	7J16H2	35	5/112	F16
7600	7.5J17H2	35	5/112	F16
7600	8J18H2	42	5/112	F16
7600	8J19H2	42	5/112	F16
7600	8.5J20H2	42	5/112	F31
7800	7J16H2	35	5/112	F31
7800	7J17H2	35	5/112	F31
7800	8J18H2	42	5/112	F31
TECH5	7J16H2	35	5/112	F16
TECH5	7,5J17H2	35	5/112	F16
TECH5	8J18H2	38	5/112	F16
TECH6	7,5J17H2	35	5/112	F31
TECH6	8J18H2	42	5/112	F31
9X	7,5J17H2	35	5/112	F16
9X	8J18H2	38	5/112	F16
9X	9J18H2	35	5/112	F16
9X	8J19H2	38	5/112	F16
9X	9J19H2	35	5/112	F16
9GR	7,5J17H2	35	5/112	F16
9GR	8J18H2	38	5/112	F16
9GR	9J18H2	35	5/112	F16
9GR	8J19H2	38	5/112	F16
9GR	9J19H2	35	5/112	F16

A6 4.2 Typ 4B (Ø 57.0 mm.)

Mod.	Dim.	ET:	PCD	Code
5800	7J16H2	35	5/112	F16
5800	7,5J17H2	35	5/112	F16
6200	7J16H2	35	5/112	F16
6200	7J17H2	35	5/112	F16
7200	7,5J18H2	28	5/112	F16
7200	8J18H2	38	5/112	F16
7300	8J18H2	38	5/112	F16
7400	7J16H2	35	5/112	F16
7400	7,5J17H2	35	5/112	F16
7400	8J18H2	42	5/112	F16
7500	7J16H2	35	5/112	F16
7500	7,5J17H2	35	5/112	F16
7500	8J18H2	42	5/112	F16
7600	7J16H2	35	5/112	F16
7600	7,5J17H2	35	5/112	F16
7600	8J18H2	42	5/112	F16
7600	8J19H2	42	5/112	F16
7800	7J16H2	35	5/112	F31
TECH5	7J16H2	35	5/112	F16
TECH5	8J18H2	38	5/112	F16
TECH6	7,5J17H2	35	5/112	F31
TECH6	8J18H2	42	5/112	F31
9GR	7,5J17H2	35	5/112	F16
9GR	8J18H2	38	5/112	F16
9GR	9J18H2	35	5/112	F16

A3 V6-S3 Typ 8P (Ø 57.0 mm.)

Mod.	Dim.	ET:	PCD	Code
7200 *	7,5J18H2	48	5/112	F31
7200 *	8J18H2	48	5/112	F31
7300	8J18H2	48	5/112	F16
7400	7,5J17H2	48	5/112	F16
7400	8J18H2	48	5/112	F16
7500	7,5J17H2	48	5/112	F16
7500	8J18H2	48	5/112	F16
7600	7,5J17H2	48	5/112	F16
7600	8J18H2	48	5/112	F16
7600	8J19H2	48	5/112	F16
7600	8,5J20H2	42	5/112	F31
7800	8J18H2	48	5/112	F31
TECH5 *	8J18H2	50	5/112	F16
TECH6	7,5J17H2	48	5/112	F31
TECH6	8J18H2	48	5/112	F31
9GR	7,5J17H2	48	5/112	F16
9GR	8J18H2	48	5/112	F16
9GR	9J18H2	45	5/112	F16
9GR	8J19H2	48	5/112	F16
9GR	9J19H2	45	5/112	F16

* indicare il tipo di vettura sull'ordine

Bei Bestellung bitte den genauen Fahrzeugtyp aufführen

Please specify vehicle type on the order form

Indiquen el tipo de coche en el pedido

A8 Typ 4E (171-246Kw) (Ø 57.0 mm.)

Mod.	Dim.	ET:	PCD	Code
5800	7,5J17H2	35	5/112	F16
7200	7,5J18H2	38	5/112	F16
7200	8J18H2	38	5/112	F16
7200	8,5J20H2	40	5/112	FS03
7200	10J20H2	35	5/112	FS03
7200	10J22H2	35	5/112	FS03
7300	8J18H2	38	5/112	F16
7400	7,5J17H2	35	5/112	F16
7400	8J18H2	42	5/112	F16
7500	7,5J17H2	35	5/112	F16
7500	8J18H2	42	5/112	F16
7600	7,5J17H2	35	5/112	F16
7600	8J18H2	42	5/112	F16
7600	8J19H2	42	5/112	F16
7600	8,5J20H2	42	5/112	F31
7800	8J18H2	42	5/112	F31
TECH5	7,5J17H2	35	5/112	F16
TECH5	8J18H2	38	5/112	F16
TECH6	7,5J17H2	35	5/112	F31
TECH6	8J18H2	42	5/112	F31
9X	8J18H2	38	5/112	F16
9X	9J18H2	35	5/112	F16
9X	8J19H2	38	5/112	F16
9X	9J19H2	35	5/112	F16
9GR	7,5J17H2	35	5/112	F16
9GR	8J18H2	38	5/112	F16
9GR	9J18H2	35	5/112	F16
9GR	8J19H2	38	5/112	F16
9GR	9J19H2	35	5/112	F16

A6 Typ 4F (188-246KW) (Ø 57.0 mm.)

Mod.	Dim.	ET:	PCD	Code
5800	7,5J17H2	35	5/112	F16
6200	7J17H2	35	5/112	F16
6800	7,5J17H2	35	5/112	F16
7200	7J17H2	35	5/112	F16
7200	8J18H2	38	5/112	F16
7300	7J17H2	35	5/112	F16
7300	8J18H2	38	5/112	F16
7400	7,5J17H2	35	5/112	F16
7400	8J18H2	42	5/112	F16
7500	7,5J17H2	35	5/112	F16
7500	8J18H2	42	5/112	F16
7600	7,5J17H2	35	5/112	F16
7600	8J18H2	42	5/112	F16
7600	8J19H2	42	5/112	F16
7600	8,5J20H2	42	5/112	F31
7800	7J17H2	35	5/112	F31
7800	8J18H2	38	5/112	F31
TECH5	7,5J17H2	35	5/112	F16
TECH5	8J18H2	38	5/112	F16
TECH6	7,5J17H2	35	5/112	F31
TECH6	8J18H2	42	5/112	F31
9X	7,5J17H2	35	5/112	F16
9X	8J18H2	38	5/112	F16
9X	9J18H2	35	5/112	F16
9X	8J19H2	38	5/112	F16
9X	9J19H2	35	5/112	F16
9GR	7,5J17H2	35	5/112	F16
9GR	8J18H2	38	5/112	F16
9GR	9J18H2	35	5/112	F16
9GR	8J19H2	38	5/112	F16
9GR	9J19H2	35	5/112	F16

TT Typ 8J (Ø 57.0 mm.)

Mod.	Dim.	ET:	PCD	Code
7200 *	7J16H2	42	5/112	F16
7200 *	7J17H2	42	5/112	F16
7200 *	8J18H2	48	5/112	F31
7300	7J17H2	42	5/112	F16
7300	8J18H2	48	5/112	F16
7400	7J16H2	45	5/112	F16
7400	7.5J17H2	48	5/112	F16
7400	8J18H2	48	5/112	F16
7500	7J16H2	45	5/112	F16
7500	7.5J17H2	48	5/112	F16
7500	8J18H2	48	5/112	F16
7600	7J16H2	45	5/112	F16
7600	7.5J17H2	48	5/112	F16
7600	8J18H2	48	5/112	F16
7600	8J19H2	48	5/112	F16
7600	8.5J20H2	42	5/112	F31
7800	7J16H2	45	5/112	F31
7800	7J17H2	42	5/112	F31
7800	8J18H2	48	5/112	F31
TECH6	7.5J17H2	48	5/112	F31
TECH6	8J18H2	48	5/112	F31
9GR	7.5J17H2	48	5/112	F16
9GR	8J18H2	48	5/112	F16
9GR	9J18H2	45	5/112	F16
9GR	8J19H2	48	5/112	F16
9GR	9J19H2	45	5/112	F16

* indicare il tipo di vettura sull'ordine

Bei Bestellung bitte den genauen Fahrzeugtyp aufführen

Please specify vehicle type on the order form

Indiquen el tipo de coche en el pedido

A4 Typ B8 (195Kw) A4 Avant Typ B8 (155Kw) (Ø 66.5 mm.)

Mod.	Dim.	ET:	PCD	Code
6200 *	7J17H2	42	5/112	F31
7200 *	7J17H2	42	5/112	F31
7200 *	7.5J18H2	38	5/112	F31
7200 *	8.5J20H2	35	5/112	FS04
7300 *	7J17H2	42	5/112	F31
7400 *	7.5J17H2	48	5/112	F31
7400 *	8J18H2	42	5/112	F31
7500 *	7.5J17H2	48	5/112	F31
7500 *	8J18H2	42	5/112	F31
7600 *	7.5J17H2	48	5/112	F31
7600 *	8J18H2	42	5/112	F31
7800 *	7J17H2	42	5/112	F31
7800 *	8J18H2	42	5/112	F31
TECH6*	7.5J17H2	48	5/112	F31
TECH6*	8J18H2	42	5/112	F31
9X *	9J18H2	35	5/112	F31
9X *	9J19H2	35	5/112	F31
9GR *	7.5J17H2	48	5/112	F31
9GR *	8J18H2	48	5/112	F31
9GR *	9J18H2	35	5/112	F31
9GR *	8J19H2	42	5/112	F31
9GR *	9J19H2	35	5/112	F31

* indicare il tipo di vettura sull'ordine

Bei Bestellung bitte den genauen Fahrzeugtyp aufführen

Please specify vehicle type on the order form

Indiquen el tipo de coche en el pedido

A4 Typ B8 (120Kw) (Ø 66.5 mm.)

Mod.	Dim.	ET:	PCD	Code
6200 *	7J16H2	42	5/112	F31
6200 *	7J17H2	42	5/112	F31
7200 *	7J16H2	42	5/112	F31
7200 *	7J17H2	42	5/112	F31
7200 *	7.5J18H2	38	5/112	F31
7200 *	8.5J20H2	35	5/112	FS04
7300 *	7J17H2	42	5/112	F31
7400 *	7J16H2	45	5/112	F31
7400 *	7.5J17H2	48	5/112	F31
7400 *	8J18H2	42	5/112	F31
7500 *	7J16H2	45	5/112	F31
7500 *	7.5J17H2	48	5/112	F31
7500 *	8J18H2	42	5/112	F31
7600 *	7J16H2	45	5/112	F31
7600 *	7.5J17H2	48	5/112	F31
7600 *	8J18H2	42	5/112	F31
7800 *	7J16H2	45	5/112	F31
7800 *	7J17H2	42	5/112	F31
7800 *	8J18H2	42	5/112	F31
TECH5*	7J16H2	42	5/112	F31
TECH6*	7.5J17H2	48	5/112	F31
TECH6*	8J18H2	42	5/112	F31
9X *	9J18H2	35	5/112	F31
9X *	9J19H2	35	5/112	F31
9GR *	7.5J17H2	48	5/112	F31
9GR *	8J18H2	48	5/112	F31
9GR *	9J18H2	35	5/112	F31
9GR *	8J19H2	42	5/112	F31
9GR *	9J19H2	35	5/112	F31

* indicare il tipo di vettura sull'ordine

Bei Bestellung bitte den genauen Fahrzeugtyp aufführen

Please specify vehicle type on the order form

Indiquen el tipo de coche en el pedido