

Patriot Typ PK (Ø 67.0 mm.)

Mod.	Dim.	ET:	PCD	Code
6200	7J17H2	35	5/114.3	F37/C
7200	7J17H2	35	5/114.3	F37/C
7200	7,5J18H2	38	5/114.3	F37/C
7300	7J17H2	35	5/114.3	F37/C
7400	8J18H2	30	5/114.3	F37/C
7500	8J18H2	30	5/114.3	F37/C
7600	8J18H2	30	5/114.3	F37/C
7600	8J19H2	30	5/114.3	F37/C
7800	7J17H2	35	5/114.3	F37/C
7800	8J18H2	30	5/114.3	F37/C
TECH6	8J18H2	30	5/114.3	F37/C

Neon (Ø 57.0 mm.)

Mod.	Dim.	ET:	PCD	Code
5800	6J14H2	42	5/100	F30/C
5800	7J15H2	35	5/100	F30/C
5800	7J16H2	35	5/100	F30/C
5800	7.5J17H2	35	5/100	F30/C
6200	6J14H2	42	5/100	F30/C
6200	7J15H2	35	5/100	F30/C
6200	7J16H2	35	5/100	F30/C
6200	7J17H2	35	5/100	F30/C
6800	7J15H2	35	5/100	F30/C
6800	7J16H2	35	5/100	F30/C
6800	7.5J17H2	35	5/100	F30/C
7200	6J14H2	42	5/100	F30/C
7200	6,5J15H2	35	5/100	F30/C
7200	7J16H2	35	5/100	F30/C
7200	7J17H2	35	5/100	F30/C
7300	7J15H2	35	5/100	F30/C
7300	6,5J16H2	35	5/100	F30/C
7300	7J17H2	35	5/100	F30/C
7400	7J16H2	35	5/100	F30/C
7400	7.5J17H2	35	5/100	F30/C
7500	7J16H2	35	5/100	F30/C
7500	7.5J17H2	35	5/100	F30/C
7600	7J16H2	35	5/100	F30/C
7600	7.5J17H2	35	5/100	F30/C
7800	7J16H2	35	5/100	F30/C
7800	7J17H2	35	5/100	F30/C
TECH5	7J15H2	35	5/100	F30/C
TECH5	7J16H2	35	5/100	F30/C
TECH5	7.5J17H2	35	5/100	F30/C
TECH6	7.5J17H2	35	5/100	F30/C
9X	7.5J17H2	35	5/100	F30/C
9GR	7.5J17H2	35	5/100	F30/C

Stratus (Ø 57.0 mm.)

Mod.	Dim.	ET:	PCD	Code
5800	7J15H2	35	5/100	F30/C
5800	7J16H2	35	5/100	F30/C
5800	7,5J17H2	35	5/100	F30/C
6200	7J15H2	35	5/100	F30/C
6200	7J16H2	35	5/100	F30/C
6200	7J17H2	35	5/100	F30/C
6800	7J15H2	35	5/100	F30/C
6800	7J16H2	35	5/100	F30/C
6800	7.5J17H2	35	5/100	F30/C
7200	6,5J15H2	35	5/100	F30/C
7200	7J16H2	35	5/100	F30/C
7200	7J17H2	35	5/100	F30/C
7300	7J15H2	35	5/100	F30/C
7300	6,5J16H2	35	5/100	F30/C
7300	7J17H2	35	5/100	F30/C
7400	7J16H2	35	5/100	F30/C
7400	7.5J17H2	35	5/100	F30/C
7500	7J16H2	35	5/100	F30/C
7500	7.5J17H2	35	5/100	F30/C
7600	7J16H2	35	5/100	F30/C
7600	7.5J17H2	35	5/100	F30/C
7800	7J16H2	35	5/100	F30/C
7800	7J17H2	35	5/100	F30/C
TECH5	7J15H2	35	5/100	F30/C
TECH5	7J16H2	35	5/100	F30/C
TECH5	7.5J17H2	35	5/100	F30/C
TECH6	7.5J17H2	35	5/100	F30/C
9X	7.5J17H2	35	5/100	F30/C
9GR	7.5J17H2	35	5/100	F30/C

Sebring Typ JR (Ø 57.0 mm.)

Mod.	Dim.	ET:	PCD	Code
5800	7J15H2	35	5/100	F30/C
5800	7J16H2	35	5/100	F30/C
5800	7,5J17H2	35	5/100	F30/C
6200	7J15H2	35	5/100	F30/C
6200	7J16H2	35	5/100	F30/C
6200	7J17H2	35	5/100	F30/C
6800	7J15H2	35	5/100	F30/C
6800	7J16H2	35	5/100	F30/C
6800	7,5J17H2	35	5/100	F30/C
7200	6,5J15H2	35	5/100	F30/C
7200	7J16H2	35	5/100	F30/C
7200	7J17H2	35	5/100	F30/C
7200	7,5J18H2	28	5/100	F30/C
7200	8J18H2	25	5/100	F30/C
7300	7J15H2	35	5/100	F30/C
7300	6,5J16H2	35	5/100	F30/C
7300	7J17H2	35	5/100	F30/C
7300	8J18H2	25	5/100	F30/C
7400	7J16H2	35	5/100	F30/C
7400	7,5J17H2	35	5/100	F30/C
7400	8J18H2	25	5/100	F30/C
7500	7J16H2	35	5/100	F30/C
7500	7,5J17H2	35	5/100	F30/C
7500	8J18H2	25	5/100	F30/C
7500	7,5J17H2	35	5/100	F30/C
7500	8J18H2	25	5/100	F30/C
7600	7J16H2	35	5/100	F30/C
7600	7,5J17H2	35	5/100	F30/C
7600	8J18H2	25	5/100	F30/C
7600	7,5J17H2	35	5/100	F30/C
7600	8J18H2	25	5/100	F30/C
7600	7J16H2	35	5/100	F30/C
7600	7,5J17H2	35	5/100	F30/C
7600	8J18H2	25	5/100	F30/C
7600	7J17H2	35	5/100	F30/C
7600	8J18H2	25	5/100	F30/C
7600	7J15H2	35	5/100	F30/C
7600	7J16H2	35	5/100	F30/C
7600	7J17H2	35	5/100	F30/C
7600	8J18H2	25	5/100	F30/C
TECH5	7J15H2	35	5/100	F30/C
TECH5	7J16H2	35	5/100	F30/C
TECH5	7,5J17H2	35	5/100	F30/C
TECH5	8J18H2	25	5/100	F30/C
TECH6	7,5J17H2	35	5/100	F30/C
TECH6	8J18H2	25	5/100	F30/C
9X	7,5J17H2	35	5/100	F30/C
9X	8J18H2	25	5/100	F30/C
9GR	7,5J17H2	35	5/100	F30/C
9GR	8J18H2	25	5/100	F30/C

Voyager Typ RG,GS (Ø 71.5 mm.)

Mod.	Dim.	ET:	PCD	Code
5800 *	7J15H2	35	5/114.3	F37/C
5800 *	7J16H2	35	5/114.3	F37/C
5800 *	7,5J17H2	35	5/114.3	F37/C
6200 *	7J15H2	35	5/114.3	F37/C
6200 *	7J16H2	35	5/114.3	F37/C
6200 *	7J17H2	35	5/114.3	F37/C
7200 *	7J16H2	35	5/114.3	F37/C
7200 *	7J17H2	35	5/114.3	F37/C
7200 *	7,5J18H2	38	5/114.3	F37/C
7200 *	8J18H2	38	5/114.3	F37/C
7300*	7J15H2	35	5/114.3	F37/C
7300*	6,5J16H2	35	5/114.3	F37/C
7300*	7J17H2	35	5/114.3	F37/C
7300*	8J18H2	38	5/114.3	F37/C
7400 *	7J16H2	35	5/114.3	F37/C
7400 *	7,5J17H2	35	5/114.3	F37/C
7400 *	8J18H2	30	5/114.3	F37/C
7500 *	7J16H2	35	5/114.3	F37/C
7500 *	7,5J17H2	35	5/114.3	F37/C
7500 *	8J18H2	30	5/114.3	F37/C
7600 *	7J16H2	35	5/114.3	F37/C
7600 *	7,5J17H2	35	5/114.3	F37/C
7600 *	8J18H2	30	5/114.3	F37/C
7800 *	7J16H2	35	5/114.3	F37/C
7800 *	7J17H2	35	5/114.3	F37/C
7800 *	8J18H2	30	5/114.3	F37/C
TECH5*	7J15H2	35	5/114.3	F37/C
TECH5*	7J16H2	35	5/114.3	F37/C
TECH5*	7,5J17H2	35	5/114.3	F37/C
TECH5*	8J18H2	38	5/114.3	F37/C
TECH6*	7,5J17H2	35	5/114.3	F37/C
TECH6*	8J18H2	30	5/114.3	F37/C
9X*	7,5J17H2	35	5/114.3	F37/C
9X*	8J18H2	38	5/114.3	F37/C
9GR*	7,5J17H2	35	5/114.3	F37/C
9GR*	8J18H2	38	5/114.3	F37/C

* indicare il tipo di vettura sull'ordine

Bei Bestellung bitte den genauen Fahrzeugtyp aufführen

Please specify vehicle type on the order form

Indiquen el tipo de coche en el pedido

300C 2WD (Ø 71.5 mm.)

Mod.	Dim.	ET:	PCD	Code
7200*	7,5J18H2	28	5/115	F60/C

*) indicare il tipo di vettura sull'ordine

Bei Bestellung bitte den genauen Fahrzeugtyp aufführen

Please specify vehicle type on the order form

Indiquen el tipo de coche en el pedido

PT Cruiser (Ø 57.0 mm.)

Mod.	Dim.	ET:	PCD	Code
5800	7J15H2	35	5/100	F30/C
5800	7J16H2	35	5/100	F30/C
5800	7,5J17H2	35	5/100	F30/C
6200	7J15H2	35	5/100	F30/C
6200	7J16H2	35	5/100	F30/C
6200	7J17H2	35	5/100	F30/C
6800	7J15H2	35	5/100	F30/C
6800	7J16H2	35	5/100	F30/C
6800	7,5J17H2	35	5/100	F30/C
7200	7J16H2	35	5/100	F30/C
7200	7J17H2	35	5/100	F30/C
7200	8J18H2	25	5/100	F30/C
7200	8J18H2	25	5/100	F30/C
7300	7J15H2	35	5/100	F30/C
7300	6,5J16H2	35	5/100	F30/C
7300	7J17H2	35	5/100	F30/C
7300	8J18H2	25	5/100	F30/C
7400	7J16H2	35	5/100	F30/C
7400	7,5J17H2	35	5/100	F30/C
7400	8J18H2	25	5/100	F30/C
7500	7J16H2	35	5/100	F30/C
7500	7,5J17H2	35	5/100	F30/C
7500	8J18H2	25	5/100	F30/C
7600	7J16H2	35	5/100	F30/C
7600	7,5J17H2	35	5/100	F30/C
7600	8J18H2	25	5/100	F30/C
7600	7,5J17H2	35	5/100	F30/C
7600	8J18H2	25	5/100	F30/C
7600	7J16H2	35	5/100	F30/C
7600	7,5J17H2	35	5/100	F30/C
7600	8J18H2	25	5/100	F30/C
7600	7J17H2	35	5/100	F30/C
7600	8J18H2	25	5/100	F30/C
7600	7J15H2	35	5/100	F30/C
7600	7J16H2	35	5/100	F30/C
7600	7J17H2	35	5/100	F30/C
7600	8J18H2	25	5/100	F30/C
TECH5	7J15H2	35	5/100	F30/C
TECH5	7J16H2	35	5/100	F30/C
TECH5	7,5J17H2	35	5/100	F30/C
TECH5	8J18H2	25	5/100	F30/C
TECH6	7,5J17H2	35	5/100	F30/C
TECH6	8J18H2	25	5/100	F30/C
9X	7,5J17H2	35	5/100	F30/C
9X	8J18H2	25	5/100	F30/C
9GR	7,5J17H2	35	5/100	F30/C
9GR	8J18H2	25	5/100	F30/C

300C 4WD (Ø 71.5 mm.)

Mod.	Dim.	ET:	PCD	Code
7200*	7,5J18H2	48	5/115	F60/C

*) indicare il tipo di vettura sull'ordine

Bei Bestellung bitte den genauen Fahrzeugtyp aufführen

Please specify vehicle type on the order form

Indiquen el tipo de coche en el pedido

Vision, New Yorker, 300M (Ø 71.5 mm.)

Mod.	Dim.	ET:	PCD	Code
5800 *	7J16H2	35	5/114.3	F37/C
5800 *	7,5J17H2	35	5/114.3	F37/C
6200 *	7J16H2	35	5/114.3	F37/C
6200 *	7J17H2	35	5/114.3	F37/C
7200 *	7J16H2	35	5/114.3	F37/C
7200 *	7J17H2	35	5/114.3	F37/C
7200 *	8J18H2	38	5/114.3	F37/C
7200 *	8.5J20H2	35	5/114.3	F37/C
7300 *	6.5J16H2	35	5/114.3	F37/C
7300 *	7J17H2	35	5/114.3	F37/C
7300 *	8J18H2	38	5/114.3	F37/C
7400 *	7J16H2	35	5/114.3	F37/C
7400 *	7,5J17H2	35	5/114.3	F37/C
7400 *	8J18H2	30	5/114.3	F37/C
7500 *	7J16H2	35	5/114.3	F37/C
7500 *	7,5J17H2	35	5/114.3	F37/C
7500 *	8J18H2	30	5/114.3	F37/C
7600 *	7J16H2	35	5/114.3	F37/C
7600 *	7,5J17H2	35	5/114.3	F37/C
7600 *	8J18H2	30	5/114.3	F37/C
7800 *	7J16H2	35	5/114.3	F37/C
7800 *	7J17H2	35	5/114.3	F37/C
7800 *	8J18H2	30	5/114.3	F37/C
TECH5*	7J16H2	35	5/114.3	F37/C
TECH5*	7,5J17H2	35	5/114.3	F37/C
TECH5*	8J18H2	38	5/114.3	F37/C
TECH6*	7,5J17H2	35	5/114.3	F37/C
TECH6*	8J18H2	30	5/114.3	F37/C
9X*	7,5J17H2	35	5/114.3	F37/C
9X*	8J18H2	38	5/114.3	F37/C
9GR*	7,5J17H2	35	5/114.3	F37/C
9GR*	8J18H2	38	5/114.3	F37/C

* indicare il tipo di vettura sull'ordine

Bei Bestellung bitte den genauen Fahrzeugtyp aufführen

Please specify vehicle type on the order form

Indiquen el tipo de coche en el pedido

PT Cruiser (164KW) PT Cruiser cabrio (Ø 57.0 mm.)

Mod.	Dim.	ET:	PCD	Code
5800	7J15H2	28	5/100	F30/C
5800	7J16H2	35	5/100	F30/C
5800	7,5J17H2	35	5/100	F30/C
6200	7J15H2	28	5/100	F30/C
6200	7J16H2	35	5/100	F30/C
6200	7J17H2	35	5/100	F30/C
6800	7J16H2	35	5/100	F30/C
6800	7,5J17H2	35	5/100	F30/C
7200	7J16H2	35	5/100	F30/C
7200	7J17H2	35	5/100	F30/C
7200	8J18H2	25	5/100	F30/C
7300	7J15H2	28	5/100	F30/C
7300	7J17H2	35	5/100	F30/C
7300	8J18H2	25	5/100	F30/C
7400	7J16H2	35	5/100	F30/C
7400	7,5J17H2	35	5/100	F30/C
7400	8J18H2	25	5/100	F30/C
7500	7J16H2	35	5/100	F30/C
7500	7,5J17H2	35	5/100	F30/C
7500	8J18H2	25	5/100	F30/C
7600	7J16H2	35	5/100	F30/C
7600	7,5J17H2	35	5/100	F30/C
7600	8J18H2	25	5/100	F30/C
7800	7J16H2	35	5/100	F30/C
7800	7J17H2	35	5/100	F30/C
7800	8J18H2	25	5/100	F30/C
TECH5	7J15H2	28	5/100	F30/C
TECH5	7J16H2	35	5/100	F30/C
TECH5	7,5J17H2	35	5/100	F30/C
TECH5	8J18H2	25	5/100	F30/C
TECH6	7,5J17H2	35	5/100	F30/C
TECH6	8J18H2	25	5/100	F30/C
9X	7,5J17H2	35	5/100	F30/C
9X	8J18H2	25	5/100	F30/C
9GR	7,5J17H2	35	5/100	F30/C
9GR	8J18H2	25	5/100	F30/C

Sebring Typ JS, Avenger (Ø 67.0 mm.)

Mod.	Dim.	ET:	PCD	Code
5800	7,5J17H2	35	5/114.3	F37/C
6200	7J17H2	35	5/114.3	F37/C
6800	7,5J17H2	35	5/114.3	F37/C
7200	7J17H2	35	5/114.3	F37/C
7300	7J17H2	35	5/114.3	F37/C
7400	7,5J17H2	35	5/114.3	F37/C
7400	8J18H2	30	5/114.3	F37/C
7500	7,5J17H2	35	5/114.3	F37/C
7500	8J18H2	30	5/114.3	F37/C
7600	7,5J17H2	35	5/114.3	F37/C
7600	8J18H2	30	5/114.3	F37/C
7600	8J19H2	30	5/114.3	F37/C
7800	7J17H2	35	5/114.3	F37/C
7800	8J18H2	30	5/114.3	F37/C
TECH5	7,5J17H2	35	5/114.3	F37/C
TECH6	7,5J17H2	35	5/114.3	F37/C
TECH6	8J18H2	30	5/114.3	F37/C
9X	7,5J17H2	35	5/114.3	F37/C
9GR	7,5J17H2	35	5/114.3	F37/C

Crossfire (Ø 66.5 mm.)

Mod.	Dim.	ET:	PCD	Code
7200*	8J18H2	30	5/112	F28
7300*	8J18H2	30	5/112	F28
7400*	8J18H2	30	5/112	F28
7500*	8J18H2	30	5/112	F28
7600*	8J18H2	30	5/112	F28
7800*	8J18H2	30	5/112	F28
TECH6*	8J18H2	30	5/112	F28
9X*	8J18H2	30	5/112	F28
9X*	9J19H2	25	5/112	F28
9GR*	8J18H2	30	5/112	F28
9GR*	9J19H2	25	5/112	F28

* indicare il tipo di vettura sull'ordine

Bei Bestellung bitte den genauen Fahrzeugtyp aufführen

Please specify vehicle type on the order form

Indiquen el tipo de coche en el pedido