

Maverick,Escape (Ø 67.0 mm.)

Mod.	Dim.	ET:	PCD	Code
5800	7J16H2	42	5/114.3	F37/C
5800	7,5J17H2	42	5/114.3	F37/C
6200	7J16H2	42	5/114.3	F37/C
6200	7J17H2	42	5/114.3	F37/C
6800	7J16H2	42	5/114.3	F37/C
6800	7,5J17H2	42	5/114.3	F37/C
7100-1	8J17H2	30	5/114.3	F37/C
7100-1	8.5J18H2	30	5/114.3	F37/C
7200	7J16H2	42	5/114.3	F37/C
7200	7J17H2	42	5/114.3	F37/C
7200	8J18H2	38	5/114.3	F37/C
7200	8.5J20H2	35	5/114.3	F37/C
7300	6.5J16H2	35	5/114.3	F37/C
7300	7J17H2	42	5/114.3	F37/C
7300	8J18H2	38	5/114.3	F37/C
7400	7J16H2	42	5/114.3	F37/C
7400	7,5J17H2	42	5/114.3	F37/C
7400	8J18H2	38	5/114.3	F37/C
7500	7J16H2	42	5/114.3	F37/C
7500	7,5J17H2	42	5/114.3	F37/C
7500	8J18H2	38	5/114.3	F37/C
7600	7J16H2	42	5/114.3	F37/C
7600	7,5J17H2	42	5/114.3	F37/C
7600	8J18H2	38	5/114.3	F37/C
7700-1	7J16H2	40	5/114.3	F37/C
7700-1	8J17H2	35	5/114.3	F37/C
7700-1	8.5J18H2	35	5/114.3	F37/C
7800	7J16H2	42	5/114.3	F37/C
7800	7J17H2	42	5/114.3	F37/C
7800	8J18H2	38	5/114.3	F37/C
TECH5	7J16H2	42	5/114.3	F37/C
TECH5	7,5J17H2	42	5/114.3	F37/C
TECH5	8J18H2	38	5/114.3	F37/C
TECH6	7,5J17H2	42	5/114.3	F37/C
TECH6	8J18H2	38	5/114.3	F37/C
9X	7,5J17H2	42	5/114.3	F37/C
9X	8J18H2	38	5/114.3	F37/C
9GR	7,5J17H2	42	5/114.3	F37/C
9GR	8J18H2	38	5/114.3	F37/C

Maverick (Ø 100.0 mm.)

Mod.	Dim.	ET:	PCD	Code
7100	7J15H2	20	6/139,7	F57/C
7100	7J16H2	20	6/139,7	F57/C
7100	8J15H2	20	6/139,7	F57/C
7100	8J16H2	20	6/139,7	F57/C
7100	8J17H2	20	6/139,7	F57/C
7100	8.5J18H2	20	6/139,7	F57/C
7700	7J16H2	20	6/139,7	F57/C
7700	8J17H2	0	6/139,7	F57/C
7700	8.5J18H2	0	6/139,7	F57/C

C-Max , Kuga (Ø 63.3 mm.)

Mod.	Dim.	ET:	PCD	Code
6200	7J16H2	42	5/108	F29/C
6200	7J17H2	42	5/108	F29/C
7200	6.5J15H2	40	5/108	F29/C
7200	7J16H2	42	5/108	F29/C
7200	7J17H2	42	5/108	F29/C
7200	7.5J18H2	45	5/108	F29/C
7200	8J18H2	38	5/108	F29/C
7300	7J15H2	45	5/108	F29/C
7300	6.5J16H2	45	5/108	F29/C
7300	7J17H2	42	5/108	F29/C
7300	8J18H2	45	5/108	F29/C
7400	7J16H2	48	5/108	F29/C
7400	7.5J17H2	45	5/108	F29/C
7400	8J18H2	45	5/108	F29/C
7500	7J16H2	48	5/108	F29/C
7500	7.5J17H2	45	5/108	F29/C
7500	8J18H2	45	5/108	F29/C
7600	7J16H2	48	5/108	F29/C
7600	7.5J17H2	45	5/108	F29/C
7600	8J18H2	45	5/108	F29/C
7600	8J19H2	45	5/108	F29/C
7800	7J16H2	48	5/108	F29/C
7800	7J17H2	42	5/108	F29/C
7800	8J18H2	45	5/108	F29/C
TECH5	7J16H2	42	5/108	F29/C
TECH5	7.5J17H2	42	5/108	F29/C
TECH5	8J18H2	38	5/108	F29/C
TECH6	7.5J17H2	45	5/108	F29/C
TECH6	8J18H2	45	5/108	F29/C
9X	7.5J17H2	42	5/108	F29/C
9X	8J18H2	38	5/108	F29/C
9X	8J19H2	42	5/108	F29/C
9GR	7.5J17H2	45	5/108	F29/C
9GR	8J18H2	45	5/108	F29/C
9GR	8J19H2	42	5/108	F29/C

Puma (Ø 63.3 mm.)

Mod.	Dim.	ET:	PCD	Code
5800	6J14H2	33	4/108	F20/C
5800	7J15H2	30	4/108	F20/C
5800	7J16H2	38	4/108	F20/C
6200	5,5J14H2	38	4/108	F20/C
6200	7J16H2	38	4/108	F20/C
6200	7J17H2	38	4/108	F20/C
6800	7J16H2	38	4/108	F20/C
7200	7J16H2	38	4/108	F20/C
7200	7J17H2	38	4/108	F20/C
7300	6.5J16H2	42	4/108	F20/C
7300	7J17H2	38	4/108	F20/C
7800	7J16H2	38	4/108	F33/C
7800	7J17H2	38	4/108	F33/C
TECH5	7J16H2	38	4/108	F20/C

Mondeo Typ BA7 (Ø 63.3 mm.)

Mod.	Dim.	ET:	PCD	Code
7200	7.5J18H2	45	5/108	F29/C
7300	6.5J16H2	45	5/108	F29/C
7300	8J18H2	45	5/108	F29/C
7400	7J16H2	48	5/108	F29/C
7400	7.5J17H2	45	5/108	F29/C
7400	8J18H2	45	5/108	F29/C
7500	7J16H2	48	5/108	F29/C
7500	7.5J17H2	45	5/108	F29/C
7500	8J18H2	45	5/108	F29/C
7600	7J16H2	48	5/108	F29/C
7600	7.5J17H2	45	5/108	F29/C
7600	8J18H2	45	5/108	F29/C
7600	8J19H2	45	5/108	F29/C
7800	7J16H2	48	5/108	F29/C
7800	8J18H2	45	5/108	F29/C
TECH6	7.5J17H2	45	5/108	F29/C
TECH6	8J18H2	45	5/108	F29/C
9GR	7.5J17H2	45	5/108	F29/C
9GR	8J18H2	45	5/108	F29/C
9GR	8J19H2	42	5/108	F29/C

Attenzione: togliere anellino elastico dal tirante

Achtung: Klammer bei Bremsscheibe entfernen

Attention: spring clip must be removed from wheel stud

Atención: saquen el anillo elástico del tirante

Cougar (Ø 63.3 mm.)

Mod.	Dim.	ET:	PCD	Code
5800	7J15H2	38	4/108	F20/C
5800	7J16H2	38	4/108	F20/C
6200	6,5J15H2	42	4/108	F20/C
6200	7J15H2	38	4/108	F20/C
6200	7J16H2	38	4/108	F20/C
6200	7J17H2	38	4/108	F20/C
6800	7J16H2	38	4/108	F20/C
7200	6,5J15H2	42	4/108	F20/C
7200	7J16H2	38	4/108	F20/C
7200	7J17H2	38	4/108	F20/C
7300	7J15H2	38	4/108	F20/C
7300	6,5J16H2	42	4/108	F20/C
7300	7J17H2	38	4/108	F20/C
7800	7J16H2	38	4/108	F33/C
7800	7J17H2	38	4/108	F33/C
TECH5	7J15H2	38	4/108	F20/C
TECH5	7J16H2	38	4/108	F20/C

Galaxy Typ WGR (Ø 57.0 mm.)

Mod.	Dim.	ET:	PCD	Code
5800 *	7J15H2	42	5/112	F16
5800 *	7J16H2	42	5/112	F16
5800 *	7,5J17H2	42	5/112	F16
6200 *	7J15H2	42	5/112	F16
6200 *	7J16H2	42	5/112	F16
6200 *	7J17H2	42	5/112	F16
7200 *	7J16H2	42	5/112	F16
7200 *	7J17H2	42	5/112	F16
7200 *	8J18H2	38	5/112	F16
7300	7J15H2	42	5/112	F16
7300	6,5J16H2	45	5/112	F16
7300	7J17H2	42	5/112	F16
7300	8J18H2	42	5/112	F16
7400	7J16H2	45	5/112	F16
7400	7,5J17H2	48	5/112	F16
7400	8J18H2	48	5/112	F16
7500	7J16H2	45	5/112	F16
7500	7,5J17H2	48	5/112	F16
7500	8J18H2	48	5/112	F16
7600	7J16H2	45	5/112	F16
7600	7,5J17H2	48	5/112	F16
7600	8J18H2	48	5/112	F16
7600	8J19H2	42	5/112	F16
7800	7J16H2	45	5/112	F31
7800	7J17H2	42	5/112	F31
7800	8J18H2	48	5/112	F31
TECH5*	7J15H2	42	5/112	F16
TECH5*	7J16H2	42	5/112	F16
TECH5*	7,5J17H2	42	5/112	F16
TECH5*	8J18H2	38	5/112	F16
TECH6	7,5J17H2	42	5/112	F31
TECH6	8J18H2	48	5/112	F31
9X*	7,5J17H2	42	5/112	F16
9X*	8J18H2	42	5/112	F16
9X*	9J18H2	45	5/112	F16
9X*	8J19H2	42	5/112	F16
9GR	7,5J17H2	42	5/112	F16
9GR	8J18H2	42	5/112	F16
9GR	9J18H2	45	5/112	F16
9GR	8J19H2	42	5/112	F16

* indicare il tipo di vettura sull'ordine

Bei Bestellung bitte den genauen Fahrzeugtyp aufführen

Please specify vehicle type on the order form

Indiquen el tipo coche en el pedido

Ka (Ø 63.3 mm.)

Mod.	Dim.	ET:	PCD	Code
5800	6J14H2	33	4/108	F20/C

Fusion (Ø 63.3 mm.)

Mod.	Dim.	ET:	PCD	Code
5800	6J14H2	38	4/108	F20/C
5800	7J15H2	38	4/108	F20/C
5800	7J16H2	38	4/108	F20/C
6200	5,5J14H2	38	4/108	F20/C
6200	6J14H2	38	4/108	F20/C
6200	6,5J15H2	42	4/108	F20/C
6200	7J15H2	38	4/108	F20/C
6200	7J16H2	38	4/108	F20/C
6200	7J17H2	38	4/108	F20/C
6800	7J16H2	38	4/108	F20/C
7200	6J14H2	38	4/108	F20/C
7200	6,5J15H2	42	4/108	F20/C
7200	7J16H2	38	4/108	F20/C
7200	7J17H2	38	4/108	F20/C
7300	7J15H2	38	4/108	F20/C
7300	6,5J16H2	42	4/108	F20/C
7300	7J17H2	38	4/108	F20/C
7800	7J16H2	38	4/108	F33/C
7800	7J17H2	38	4/108	F33/C
TECH5	7J15H2	38	4/108	F20/C
TECH5	7J16H2	38	4/108	F20/C

Attenzione: togliere anellino elastico dal tirante

Achtung: Klammer bei Bremsscheibe entfernen

Attention: spring clip must be removed from wheel stud

Atención: saquen el anillo elástico del tirante

Fiesta (JA8) (Ø 63.3 mm.)

Mod.	Dim.	ET:	PCD	Code
5800	7J15H2	38	4/108	F20/C
5800	7J16H2	38	4/108	F20/C
6200	5,5J14H2	38	4/108	F20/C
6200	6,5J15H2	42	4/108	F20/C
6200	7J15H2	38	4/108	F20/C
6200	7J16H2	38	4/108	F20/C
6200	7J17H2	38	4/108	F20/C
6800	7J16H2	38	4/108	F20/C
7200	6,5J15H2	42	4/108	F20/C
7200	7J16H2	38	4/108	F20/C
7200	7J17H2	38	4/108	F20/C
7300	7J15H2	38	4/108	F20/C
7300	6,5J16H2	42	4/108	F20/C
7300	7J17H2	38	4/108	F20/C
7800	7J16H2	38	4/108	F33/C
7800	7J17H2	38	4/108	F33/C
TECH5	7J15H2	38	4/108	F20/C
TECH5	7J16H2	38	4/108	F20/C

Attenzione: togliere anello elastico dal tirante

Achtung: Klammer bei Bremsscheibe entfernen

Attention: spring clip must be removed from wheel stud

Atención: saquen el anillo elástico del tirante

Mondeo Mod.01 ⇒ (Ø 63.3 mm.)

Mod.	Dim.	ET:	PCD	Code
6200	7J16H2	42	5/108	F29/C
6200	7J17H2	42	5/108	F29/C
7200	7J16H2	42	5/108	F29/C
7200	7J17H2	42	5/108	F29/C
7200	7,5J18H2	45	5/108	F29/C
7200	8J18H2	38	5/108	F29/C
7300	6,5J16H2	45	5/108	F29/C
7300	7J17H2	42	5/108	F29/C
7300	8J18H2	45	5/108	F29/C
7400	7J16H2	48	5/108	F29/C
7400	7,5J17H2	45	5/108	F29/C
7400	8J18H2	45	5/108	F29/C
7500	7J16H2	45	5/108	F29/C
7500	7,5J17H2	45	5/108	F29/C
7500	8J18H2	45	5/108	F29/C
7600	7J16H2	48	5/108	F29/C
7600	7,5J17H2	45	5/108	F29/C
7600	8J18H2	45	5/108	F29/C
7600	8J19H2	45	5/108	F29/C
7800	7J16H2	48	5/108	F29/C
7800	7J17H2	42	5/108	F29/C
7800	8J18H2	45	5/108	F29/C
TECH5	7J16H2	42	5/108	F29/C
TECH5	7,5J17H2	42	5/108	F29/C
TECH5	8J18H2	38	5/108	F29/C
TECH6	7,5J17H2	45	5/108	F29/C
TECH6	8J18H2	45	5/108	F29/C
9X	7,5J17H2	42	5/108	F29/C
9X	8J18H2	38	5/108	F29/C
9GR	7,5J17H2	45	5/108	F29/C
9GR	8J18H2	45	5/108	F29/C
9GR	8J19H2	42	5/108	F29/C

Attenzione: togliere anellino elastico dal tirante

Achtung: Klammer bei Bremsscheibe entfernen

Attention: spring clip must be removed from wheel stud

Atención: saquen el anillo elástico del tirante

Ranger Typ 2AW mod.07 (Ø 93.0 mm.)

Mod.	Dim.	ET:	PCD	Code
7700	8J17H2	0	6/139,7	F58/C
7700	8,5J18H2	5	6/139,7	F58/C

Focus

(Ø 63.3 mm.)

Mod.	Dim.	ET:	PCD	Code
5800	6J14H2	38	4/108	F20/C
5800	7J15H2	38	4/108	F20/C
6200	5,5J14H2	38	4/108	F20/C
6200	6J14H2	38	4/108	F20/C
6200	6,5J15H2	42	4/108	F20/C
6200	7J15H2	38	4/108	F20/C
6200	7J16H2	42	4/108	F20/C
6200	7J17H2	38	4/108	F20/C
6800	7J16H2	42	4/108	F20/C
7200	6J14H2	38	4/108	F20/C
7200	6,5J15H2	42	4/108	F20/C
7200	7J16H2	42	4/108	F20/C
7200	7J17H2	38	4/108	F20/C
7200	7J15H2	38	4/108	F20/C
7300	6,5J16H2	42	4/108	F20/C
7300	7J17H2	38	4/108	F20/C
7800	7J17H2	38	4/108	F33/C
TECH5	7J15H2	38	4/108	F20/C
TECH5	7J16H2	42	4/108	F20/C

Attenzione: togliere anellino elastico dal tirante

Achtung: Klammer bei Bremsscheibe entfernen

Attention: spring clip must be removed from wheel stud

Atención: saquen el anillo elástico del tirante

Galaxy Typ WA6 , S-MAX

(Ø 63.3 mm.)

Mod.	Dim.	ET:	PCD	Code
7200	7.5J18H2	45	5/108	F66
7300	6.5J16H2	45	5/108	F66
7300	8J18H2	45	5/108	F66
7400	7J16H2	48	5/108	F66
7400	7.5J17H2	45	5/108	F66
7400	8J18H2	45	5/108	F66
7500	7J16H2	48	5/108	F66
7500	7.5J17H2	45	5/108	F66
7500	8J18H2	45	5/108	F66
7600	7J16H2	48	5/108	F66
7600	7.5J17H2	45	5/108	F66
7600	8J18H2	45	5/108	F66
7600	8J19H2	45	5/108	F66
7800	7J16H2	48	5/108	F66
7800	8J18H2	45	5/108	F66
TECH6	7.5J17H2	45	5/108	F66
TECH6	8J18H2	45	5/108	F66
9GR	7.5J17H2	45	5/108	F66
9GR	8J18H2	45	5/108	F66
9GR	8J19H2	42	5/108	F66

Attenzione: togliere anellino elastico dal tirante

Achtung: Klammer bei Bremsscheibe entfernen

Attention: spring clip must be removed from wheel stud

Atención: saquen el anillo elástico del tirante

Fiesta (JH1) Mod.02 ⇒

(Ø 63.3 mm.)

Mod.	Dim.	ET:	PCD	Code
5800	7J15H2	38	4/108	F20/C
5800	7J16H2	38	4/108	F20/C
6200	5,5J14H2	38	4/108	F20/C
6200	6,5J15H2	42	4/108	F20/C
6200	7J15H2	38	4/108	F20/C
6200	7J16H2	38	4/108	F20/C
6200	7J17H2	38	4/108	F20/C
6800	7J16H2	38	4/108	F20/C
7200	6,5J15H2	42	4/108	F20/C
7200	7J16H2	38	4/108	F20/C
7200	7J17H2	38	4/108	F20/C
7300	7J15H2	38	4/108	F20/C
7300	6,5J16H2	42	4/108	F20/C
7300	7J17H2	38	4/108	F20/C
7800	7J16H2	38	4/108	F33/C
7800	7J17H2	38	4/108	F33/C
TECH5	7J15H2	38	4/108	F20/C
TECH5	7J16H2	38	4/108	F20/C

Attenzione: togliere anello elastico dal tirante

Achtung: Klammer bei Bremsscheibe entfernen

Attention: spring clip must be removed from wheel stud

Atención: saquen el anillo elástico del tirante

Tourneo , Connect

(Ø 63.3 mm.)

Mod.	Dim.	ET:	PCD	Code
6200	7J16H2	42	5/108	F29/C
6200	7J17H2	42	5/108	F29/C
7200	6,5J15H2	40	5/108	F29/C
7200	7,5J18H2	45	5/108	F29/C
7200	8J18H2	38	5/108	F29/C
7300	8J18H2	38	5/108	F29/C
7400	8J18H2	38	5/108	F29/C
7500	8J18H2	38	5/108	F29/C
7800	8J18H2	38	5/108	F29/C
TECH5	7J16H2	42	5/108	F29/C
TECH5	7,5J17H2	42	5/108	F29/C
TECH5	8J18H2	38	5/108	F29/C
TECH6	7,5J17H2	45	5/108	F29/C
TECH6	8J18H2	38	5/108	F29/C
9X	8J18H2	38	5/108	F29/C
9GR	7,5J17H2	45	5/108	F29/C
9GR	8J18H2	38	5/108	F29/C

Focus

(Ø 63.3 mm.)

Mod.	Dim.	ET:	PCD	Code
6200	7J16H2	42	5/108	F29/C
6200	7J17H2	42	5/108	F29/C
7200	6,5J15H2	40	5/108	F29/C
7200	7J16H2	42	5/108	F29/C
7200	7J17H2	42	5/108	F29/C
7200	7,5J18H2	45	5/108	F29/C
7300	7J15H2	45	5/108	F29/C
7300	6,5J16H2	45	5/108	F29/C
7300	7J17H2	42	5/108	F29/C
7300	8J18H2	45	5/108	F29/C
7400	7J16H2	48	5/108	F29/C
7400	7,5J17H2	45	5/108	F29/C
7400	8J18H2	45	5/108	F29/C
7500	7J16H2	48	5/108	F29/C
7500	7,5J17H2	45	5/108	F29/C
7500	8J18H2	45	5/108	F29/C
7600	7J16H2	48	5/108	F29/C
7600	7,5J17H2	45	5/108	F29/C
7600	8J18H2	45	5/108	F29/C
7600	8J19H2	45	5/108	F29/C
7800	7J16H2	48	5/108	F29/C
7800	7J17H2	42	5/108	F29/C
7800	8J18H2	45	5/108	F29/C
TECH5	7J16H2	42	5/108	F29/C
TECH5	7,5J17H2	42	5/108	F29/C
TECH6	7,5J17H2	45	5/108	F29/C
TECH6	8J18H2	45	5/108	F29/C
9X	7,5J17H2	42	5/108	F29/C
9GR	7,5J17H2	45	5/108	F29/C
9GR	8J18H2	45	5/108	F29/C
9GR	8J19H2	42	5/108	F29/C

Attenzione: togliere anellino elastico dal tirante

Achtung: Klammer bei Bremsscheibe entfernen

Attention: spring clip must be removed from wheel stud

Atención: saquen el anillo elástico del tirante