

Accord (Ø 64.0 mm.)

Mod.	Dim.	ET:	PCD	Code
5800	6J14H2	38	4/114.3	F35/C
5800	7J15H2	38	4/114.3	F35/C
5800	7J16H2	38	4/114.3	F35/C
6200	5,5J14H2	38	4/114.3	F35/C
6200	6J14H2	38	4/114.3	F35/C
6200	6,5J15H2	42	4/114.3	F35/C
6200	7J15H2	38	4/114.3	F35/C
6200	7J16H2	38	4/114.3	F35/C
6200	7J17H2	38	4/114.3	F35/C
6800	7J16H2	38	4/114.3	F35/C
7200	6J14H2	38	4/114.3	F35/C
7200	6,5J15H2	42	4/114.3	F35/C
7200	7J16H2	38	4/114.3	F35/C
7200	7J17H2	38	4/114.3	F35/C
7300	7J15H2	38	4/114.3	F35/C
7300	6,5J16H2	42	4/114.3	F35/C
7300	7J17H2	38	4/114.3	F35/C
7800	7J16H2	38	4/114.3	F35/C
7800	7J17H2	38	4/114.3	F35/C
TECH5	7J15H2	38	4/114.3	F35/C
TECH5	7J16H2	38	4/114.3	F35/C

CR-V Typ RE (Ø 64.0 mm.)

Mod.	Dim.	ET:	PCD	Code
5800	7,5J17H2	42	5/114.3	F44/C
6200	7J17H2	42	5/114.3	F44/C
6800	7,5J17H2	42	5/114.3	F44/C
7200	7J17H2	42	5/114.3	F44/C
7200	7,5J18H2	48	5/114.3	F44/C
7300	7J17H2	42	5/114.3	F44/C
7300	8J18H2	48	5/114.3	F44/C
7400	7,5J17H2	42	5/114.3	F44/C
7400	8J18H2	48	5/114.3	F44/C
7500	7,5J17H2	42	5/114.3	F44/C
7500	8J18H2	48	5/114.3	F44/C
7600	7,5J17H2	42	5/114.3	F44/C
7600	8J18H2	48	5/114.3	F44/C
7600	8J19H2	42	5/114.3	F44/C
7700-1	8J17H2	40	5/114.3	F44/C
7800	7J17H2	42	5/114.3	F44/C
7800	8J18H2	48	5/114.3	F44/C
TECH5	7,5J17H2	42	5/114.3	F44/C
TECH6	7,5J17H2	42	5/114.3	F44/C
TECH6	8J18H2	48	5/114.3	F44/C
9X	7,5J17H2	42	5/114.3	F44/C
9X	8J18H2	42	5/114.3	F44/C
9X	8J19H2	42	5/114.3	F44/C
9GR	7,5J17H2	42	5/114.3	F44/C
9GR	8J18H2	48	5/114.3	F44/C
9GR	8J19H2	42	5/114.3	F44/C

Integra Typ R (Ø 64.0 mm.)

Mod.	Dim.	ET:	PCD	Code
5800	7J15H2	42	5/114.3	F44/C
5800	7J16H2	42	5/114.3	F44/C
5800	7,5J17H2	42	5/114.3	F44/C
6200	7J15H2	42	5/114.3	F44/C
6200	7J16H2	42	5/114.3	F44/C
6200	7J17H2	42	5/114.3	F44/C
6800	7J16H2	42	5/114.3	F44/C
6800	7,5J17H2	42	5/114.3	F44/C
7200	6,5J15H2	40	5/114.3	F44/C
7200	7J16H2	42	5/114.3	F44/C
7200	7J17H2	42	5/114.3	F44/C
7300	7J15H2	42	5/114.3	F44/C
7300	6,5J16H2	45	5/114.3	F44/C
7300	7J17H2	42	5/114.3	F44/C
7400	7J16H2	45	5/114.3	F44/C
7400	7,5J17H2	42	5/114.3	F44/C
7500	7J16H2	45	5/114.3	F44/C
7500	7,5J17H2	42	5/114.3	F44/C
7600	7J16H2	45	5/114.3	F44/C
7600	7,5J17H2	42	5/114.3	F44/C
7800	7J16H2	45	5/114.3	F44/C
7800	7J17H2	42	5/114.3	F44/C
TECH5	7J15H2	42	5/114.3	F44/C
TECH5	7J16H2	42	5/114.3	F44/C
TECH5	7,5J17H2	42	5/114.3	F44/C
TECH6	7,5J17H2	42	5/114.3	F44/C
9X	7,5J17H2	42	5/114.3	F44/C
9GR	7,5J17H2	42	5/114.3	F44/C

Logo (Ø 56.0 mm.)

Mod.	Dim.	ET:	PCD	Code
5800	6J14H2	33	4/100	F10/C
5800	7J15H2	30	4/100	F10/C

**CR-V,HR-V
(Ø 64.0 mm.)**

Mod.	Dim.	ET:	PCD	Code
5800	7J15H2	42	5/114.3	F44/C
5800	7J16H2	42	5/114.3	F44/C
5800	7,5J17H2	42	5/114.3	F44/C
6200	7J15H2	42	5/114.3	F44/C
6200	7J16H2	42	5/114.3	F44/C
6200	7J17H2	42	5/114.3	F44/C
6800	7J16H2	42	5/114.3	F44/C
6800	7,5J17H2	42	5/114.3	F44/C
7200	6,5J15H2	40	5/114.3	F44/C
7200	7J16H2	42	5/114.3	F44/C
7200	7J17H2	42	5/114.3	F44/C
7200	7,5J18H2	38	5/114.3	F44/C
7200	8J18H2	38	5/114.3	F44/C
7300	7J15H2	42	5/114.3	F44/C
7300	6,5J16H2	45	5/114.3	F44/C
7300	7J17H2	42	5/114.3	F44/C
7300	8J18H2	38	5/114.3	F44/C
7400	7J16H2	45	5/114.3	F44/C
7400	7,5J17H2	42	5/114.3	F44/C
7400	8J18H2	38	5/114.3	F44/C
7500	7J16H2	45	5/114.3	F44/C
7500	7,5J17H2	42	5/114.3	F44/C
7500	8J18H2	38	5/114.3	F44/C
7600	7J16H2	45	5/114.3	F44/C
7600	7,5J17H2	42	5/114.3	F44/C
7600	8J18H2	38	5/114.3	F44/C
7700-1	7J16H2	38	5/114.3	F44/C
7700-1	8J17H2	35	5/114.3	F44/C
7700-1	8,5J18H2	40	5/114.3	F44/C
7800	7J16H2	45	5/114.3	F44/C
7800	7J17H2	42	5/114.3	F44/C
7800	8J18H2	38	5/114.3	F44/C
TECH5	7J15H2	42	5/114.3	F44/C
TECH5	7J16H2	42	5/114.3	F44/C
TECH5	7,5J17H2	42	5/114.3	F44/C
TECH5	8J18H2	38	5/114.3	F44/C
TECH6	7,5J17H2	42	5/114.3	F44/C
TECH6	8J18H2	38	5/114.3	F44/C
9X	7,5J17H2	42	5/114.3	F44/C
9X	8J18H2	38	5/114.3	F44/C
9GR	7,5J17H2	42	5/114.3	F44/C
9GR	8J18H2	38	5/114.3	F44/C

**Civic Mod.01 ⇒
(Ø 56.0 mm.)**

Mod.	Dim.	ET:	PCD	Code
5700	6J14H2	38	4/100	F10/C
5700	7J15H2	38	4/100	F10/C
5800	6J14H2	38	4/100	F10/C
5800	7J15H2	38	4/100	F10/C
5800	7J16H2	38	4/100	F10/C
6200	5,5J14H2	38	4/100	F10/C
6200	6J14H2	38	4/100	F10/C
6200	6,5J15H2	42	4/100	F10/C
6200	7J15H2	38	4/100	F10/C
6200	7J16H2	38	4/100	F10/C
6200	7J17H2	38	4/100	F10/C
6800	7J15H2	38	4/100	F10/C
6800	7J16H2	38	4/100	F10/C
7200	6J14H2	38	4/100	F10/C
7200	6,5J15H2	42	4/100	F10/C
7200	7J16H2	38	4/100	F10/C
7200	7J17H2	38	4/100	F10/C
7300	7J15H2	38	4/100	F10/C
7300	6,5J16H2	42	4/100	F10/C
7300	7J17H2	38	4/100	F10/C
7800	7J16H2	38	4/100	F10/C
7800	7J17H2	38	4/100	F10/C
TECH5	7J15H2	38	4/100	F10/C
TECH5	7J16H2	38	4/100	F10/C

**Civic Typ EP3
(Ø 64.0 mm.)**

Mod.	Dim.	ET:	PCD	Code
5800	7,5J17H2	42	5/114.3	F44/C
6200	7J17H2	42	5/114.3	F44/C
6800	7,5J17H2	42	5/114.3	F44/C
7200	7J17H2	42	5/114.3	F44/C
7200	7,5J18H2	38	5/114.3	F44/C
7200	8J18H2	38	5/114.3	F44/C
7300	7J17H2	42	5/114.3	F44/C
7300	8J18H2	38	5/114.3	F44/C
7400	7,5J17H2	42	5/114.3	F44/C
7400	8J18H2	38	5/114.3	F44/C
7500	7,5J17H2	42	5/114.3	F44/C
7500	8J18H2	38	5/114.3	F44/C
7600	7,5J17H2	42	5/114.3	F44/C
7600	8J18H2	38	5/114.3	F44/C
7800	7J17H2	42	5/114.3	F44/C
7800	8J18H2	38	5/114.3	F44/C
TECH5	7,5J17H2	42	5/114.3	F44/C
TECH5	8J18H2	38	5/114.3	F44/C
TECH6	7,5J17H2	42	5/114.3	F44/C
TECH6	8J18H2	38	5/114.3	F44/C
9X	7,5J17H2	42	5/114.3	F44/C
9X	8J18H2	38	5/114.3	F44/C
9GR	7,5J17H2	42	5/114.3	F44/C
9GR	8J18H2	38	5/114.3	F44/C

**Civic Typ FK1,FK2,FN1,FN2,FN3
(Ø 64.0 mm.)**

Mod.	Dim.	ET	PCD	Code
7200	7,5J18H2	48	5/114.3	F44/C
7200	8,5J20H2	41	5/114.3	F44/C
7300	8J18H2	48	5/114.3	F44/C
7400	7J16H2	50	5/114.3	F44/C
7400	7,5J17H2	48	5/114.3	F44/C
7400	8J18H2	48	5/114.3	F44/C
7500	7J16H2	50	5/114.3	F44/C
7500	7,5J17H2	48	5/114.3	F44/C
7500	8J18H2	48	5/114.3	F44/C
7600	7J16H2	50	5/114.3	F44/C
7600	7,5J17H2	48	5/114.3	F44/C
7600	8J18H2	48	5/114.3	F44/C
7600	8J19H2	48	5/114.3	F44/C
7800	7J16H2	50	5/114.3	F44/C
7800	8J18H2	48	5/114.3	F44/C
TECH6	7,5J17H2	48	5/114.3	F44/C
TECH6	8J18H2	48	5/114.3	F44/C
9X	8J19H2	42	5/114.3	F44/C
9GR	7,5J17H2	48	5/114.3	F44/C
9GR	8J18H2	48	5/114.3	F44/C
9GR	8J19H2	42	5/114.3	F44/C

Civic Typ EP1-EV1 (Ø 64.0 mm.)

Mod.	Dim.	ET:	PCD	Code
5800	7J15H2	42	5/114.3	F44/C
5800	7J16H2	42	5/114.3	F44/C
5800	7,5J17H2	42	5/114.3	F44/C
6200	7J15H2	42	5/114.3	F44/C
6200	7J16H2	42	5/114.3	F44/C
6200	7J17H2	42	5/114.3	F44/C
6800	7J16H2	42	5/114.3	F44/C
6800	7,5J17H2	42	5/114.3	F44/C
7200	6,5J15H2	40	5/114.3	F44/C
7200	7J16H2	42	5/114.3	F44/C
7200	7J17H2	42	5/114.3	F44/C
7200	7,5J18H2	38	5/114.3	F44/C
7300	7J15H2	42	5/114.3	F44/C
7300	6,5J16H2	45	5/114.3	F44/C
7300	7J17H2	42	5/114.3	F44/C
7400	7J16H2	45	5/114.3	F44/C
7400	7,5J17H2	42	5/114.3	F44/C
7500	7J16H2	45	5/114.3	F44/C
7500	7,5J17H2	42	5/114.3	F44/C
7600	7J16H2	45	5/114.3	F44/C
7600	7,5J17H2	42	5/114.3	F44/C
7800	7J16H2	45	5/114.3	F44/C
7800	7J17H2	42	5/114.3	F44/C
TECH6	7,5J17H2	42	5/114.3	F44/C
TECH5	7J15H2	42	5/114.3	F44/C
TECH5	7J16H2	42	5/114.3	F44/C
TECH5	7,5J17H2	42	5/114.3	F44/C
9X	7,5J17H2	42	5/114.3	F44/C
9GR	7,5J17H2	42	5/114.3	F44/C

Stream (Ø 64.0 mm.)

Mod.	Dim.	ET:	PCD	Code
5800	7J15H2	35	5/114.3	F44/C
5800	7J16H2	35	5/114.3	F44/C
5800	7,5J17H2	35	5/114.3	F44/C
6200	7J15H2	35	5/114.3	F44/C
6200	7J16H2	35	5/114.3	F44/C
6200	7J17H2	35	5/114.3	F44/C
6800	7J16H2	35	5/114.3	F44/C
6800	7,5J17H2	35	5/114.3	F44/C
7200	7J16H2	35	5/114.3	F44/C
7200	7J17H2	35	5/114.3	F44/C
7300	7J15H2	35	5/114.3	F44/C
7300	6,5J16H2	35	5/114.3	F44/C
7300	7J17H2	35	5/114.3	F44/C
7400	7J16H2	35	5/114.3	F44/C
7400	7,5J17H2	35	5/114.3	F44/C
7500	7J16H2	35	5/114.3	F44/C
7500	7,5J17H2	35	5/114.3	F44/C
7600	7J16H2	35	5/114.3	F44/C
7600	7,5J17H2	35	5/114.3	F44/C
7800	7J16H2	35	5/114.3	F44/C
7800	7J17H2	35	5/114.3	F44/C
TECH5	7J15H2	35	5/114.3	F44/C
TECH5	7J16H2	35	5/114.3	F44/C
TECH5	7,5J17H2	35	5/114.3	F44/C
TECH6	7,5J17H2	35	5/114.3	F44/C
9X	7,5J17H2	35	5/114.3	F44/C
9GR	7,5J17H2	35	5/114.3	F44/C

FR-V (Ø 64.0 mm.)

Mod.	Dim.	ET:	PCD	Code
5800	7J15H2	42	5/114.3	F44/C
5800	7J16H2	42	5/114.3	F44/C
5800	7,5J17H2	42	5/114.3	F44/C
6200	7J15H2	42	5/114.3	F44/C
6200	7J16H2	42	5/114.3	F44/C
6200	7J17H2	42	5/114.3	F44/C
6800	7J16H2	42	5/114.3	F44/C
6800	7,5J17H2	42	5/114.3	F44/C
7200	6,5J15H2	40	5/114.3	F44/C
7200	7J16H2	42	5/114.3	F44/C
7200	7J17H2	42	5/114.3	F44/C
7200	7,5J18H2	38	5/114.3	F44/C
7200	8J18H2	38	5/114.3	F44/C
7300	7J15H2	42	5/114.3	F44/C
7300	6,5J16H2	45	5/114.3	F44/C
7300	7J17H2	42	5/114.3	F44/C
7300	8J18H2	38	5/114.3	F44/C
7400	7J16H2	45	5/114.3	F44/C
7400	7,5J17H2	42	5/114.3	F44/C
7400	8J18H2	38	5/114.3	F44/C
7500	7J16H2	45	5/114.3	F44/C
7500	7,5J17H2	42	5/114.3	F44/C
7500	8J18H2	38	5/114.3	F44/C
7500	7,5J17H2	42	5/114.3	F44/C
7600	7J16H2	45	5/114.3	F44/C
7600	7,5J17H2	42	5/114.3	F44/C
7600	8J18H2	38	5/114.3	F44/C
7600	8J19H2	42	5/114.3	F44/C
7700-1	7J16H2	38	5/114.3	F44/C
7700-1	8J17H2	35	5/114.3	F44/C
7800	7J16H2	45	5/114.3	F44/C
7800	7J17H2	42	5/114.3	F44/C
7800	8J18H2	38	5/114.3	F44/C
TECH5	7J15H2	42	5/114.3	F44/C
TECH5	7J16H2	42	5/114.3	F44/C
TECH5	7,5J17H2	42	5/114.3	F44/C
TECH5	8J18H2	38	5/114.3	F44/C
TECH6	7,5J17H2	42	5/114.3	F44/C
TECH6	8J18H2	38	5/114.3	F44/C
9X	7,5J17H2	42	5/114.3	F44/C
9X	8J18H2	38	5/114.3	F44/C
9GR	7,5J17H2	42	5/114.3	F44/C
9GR	8J18H2	38	5/114.3	F44/C
9GR	8J19H2	42	5/114.3	F44/C

Accord, Accord Coupe' Accord Tourer (Ø 64.0 mm.)

Mod.	Dim.	ET:	PCD	Code
5800	7J15H2	42	5/114.3	F44/C
5800	7J16H2	42	5/114.3	F44/C
5800	7,5J17H2	42	5/114.3	F44/C
6200	7J15H2	42	5/114.3	F44/C
6200	7J16H2	42	5/114.3	F44/C
6200	7J17H2	42	5/114.3	F44/C
6800	7J16H2	42	5/114.3	F44/C
6800	7,5J17H2	42	5/114.3	F44/C
7200	6,5J15H2	40	5/114.3	F44/C
7200	7J16H2	42	5/114.3	F44/C
7200	7J17H2	50	5/114.3	F44/C
7200	7,5J18H2	48	5/114.3	F44/C
7300	7J15H2	42	5/114.3	F44/C
7300	6,5J16H2	45	5/114.3	F44/C
7300	7J17H2	50	5/114.3	F44/C
7300	8J18H2	48	5/114.3	F44/C
7400	7J16H2	45	5/114.3	F44/C
7400	7,5J17H2	42	5/114.3	F44/C
7400	8J18H2	48	5/114.3	F44/C
7500	7J16H2	45	5/114.3	F44/C
7500	7,5J17H2	42	5/114.3	F44/C
7500	8J18H2	48	5/114.3	F44/C
7600	7J16H2	45	5/114.3	F44/C
7600	7,5J17H2	42	5/114.3	F44/C
7600	8J18H2	48	5/114.3	F44/C
7600	8J19H2	48	5/114.3	F44/C
7800	7J16H2	45	5/114.3	F44/C
7800	7J17H2	50	5/114.3	F44/C
7800	8J18H2	48	5/114.3	F44/C
TECH5	7J15H2	42	5/114.3	F44/C
TECH5	7J16H2	42	5/114.3	F44/C
TECH5	7,5J17H2	42	5/114.3	F44/C
TECH6	7,5J17H2	42	5/114.3	F44/C
TECH6	8J18H2	48	5/114.3	F44/C
9X	7,5J17H2	42	5/114.3	F44/C
9GR	7,5J17H2	42	5/114.3	F44/C

Attenzione: escl. Typ R

Achtung: excl. Typ R

Attention: excl. Typ R

Attention: excl. Typ R

Jazz (Ø 56.0 mm.)

Mod.	Dim.	ET:	PCD	Code
5700	6J14H2	38	4/100	F10/C
5700	7J15H2	38	4/100	F10/C
5800	6J14H2	38	4/100	F10/C
5800	7J15H2	38	4/100	F10/C
5800	7J16H2	38	4/100	F10/C
6200	6J14H2	38	4/100	F10/C
6200	7J15H2	38	4/100	F10/C
6200	7J16H2	38	4/100	F10/C
6200	7J17H2	38	4/100	F10/C
6800	7J15H2	38	4/100	F10/C
6800	7J16H2	38	4/100	F10/C
7200	6,5J15H2	42	4/100	F10/C
7200	7J16H2	38	4/100	F10/C
7200	7J17H2	38	4/100	F10/C
7300	7J15H2	38	4/100	F10/C
7300	7J17H2	38	4/100	F10/C
7800	7J16H2	38	4/100	F10/C
7800	7J17H2	38	4/100	F10/C
TECH5	7J15H2	38	4/100	F10/C
TECH5	7J16H2	38	4/100	F10/C

Attenzione: provare su vettura prima del montaggio

Achtung: vor Montage am Fahrzeug ausprobieren

Attention: try whether it fits at car before mounting

Atención: prueben las llantas en su coche antes del montaje

Prelude (Ø 64.0 mm.)

Mod.	Dim.	ET:	PCD	Code
5800	7J15H2	42	5/114.3	F44/C
5800	7J16H2	42	5/114.3	F44/C
5800	7,5J17H2	42	5/114.3	F44/C
6200	7J15H2	42	5/114.3	F44/C
6200	7J16H2	42	5/114.3	F44/C
6200	7J17H2	42	5/114.3	F44/C
6800	7J16H2	42	5/114.3	F44/C
6800	7,5J17H2	42	5/114.3	F44/C
7200	6,5J15H2	40	5/114.3	F44/C
7200	7J16H2	42	5/114.3	F44/C
7200	7J17H2	42	5/114.3	F44/C
7300	7J15H2	42	5/114.3	F44/C
7300	6,5J16H2	45	5/114.3	F44/C
7300	7J17H2	42	5/114.3	F44/C
7400	7J16H2	45	5/114.3	F44/C
7400	7,5J17H2	42	5/114.3	F44/C
7500	7J16H2	45	5/114.3	F44/C
7500	7,5J17H2	42	5/114.3	F44/C
7600	7J16H2	45	5/114.3	F44/C
7600	7,5J17H2	42	5/114.3	F44/C
7800	7J16H2	45	5/114.3	F44/C
7800	7J17H2	42	5/114.3	F44/C
TECH5	7J15H2	42	5/114.3	F44/C
TECH5	7J16H2	42	5/114.3	F44/C
TECH5	7,5J17H2	42	5/114.3	F44/C
TECH6	7,5J17H2	42	5/114.3	F44/C
9X	7,5J17H2	42	5/114.3	F44/C
9GR	7,5J17H2	42	5/114.3	F44/C