

2

(Ø 63.3 mm.)

Mod.	Dim.	ET:	PCD	Code
5800	6J14H2	38	4/108	F20/C
5800	7J15H2	38	4/108	F20/C
5800	7J16H2	38	4/108	F20/C
6200	5,5J14H2	38	4/108	F20/C
6200	6J14H2	38	4/108	F20/C
6200	6,5J15H2	42	4/108	F20/C
6200	7J15H2	38	4/108	F20/C
6200	7J16H2	38	4/108	F20/C
6200	7J17H2	38	4/108	F20/C
6800	7J16H2	38	4/108	F20/C
7200	6J14H2	38	4/108	F20/C
7200	6,5J15H2	42	4/108	F20/C
7200	7J16H2	38	4/108	F20/C
7200	7J17H2	38	4/108	F20/C
7300	7J15H2	38	4/108	F20/C
7300	6,5J16H2	42	4/108	F20/C
7300	7J17H2	38	4/108	F20/C
7800	7J16H2	38	4/108	F33/C
7800	7J17H2	38	4/108	F33/C
TECH5	7J15H2	38	4/108	F20/C
TECH5	7J16H2	38	4/108	F20/C

Demio

(Ø 54.0 mm.)

Mod.	Dim.	ET:	PCD	Code
5700	5,5J13H2	38	4/100	F09/C
5700	6J14H2	38	4/100	F09/C
5700	7J15H2	38	4/100	F09/C
5800	6J14H2	38	4/100	F09/C
5800	7J15H2	38	4/100	F09/C
6200	5,5J14H2	38	4/100	F09/C
6200	6J14H2	38	4/100	F09/C
6200	6,5J15H2	42	4/100	F09/C
6200	7J15H2	38	4/100	F09/C
6800	7J15H2	38	4/100	F09/C
7200	6J14H2	38	4/100	F09/C
7200	6,5J15H2	42	4/100	F09/C
7300	7J15H2	38	4/100	F09/C
TECH5	7J15H2	38	4/100	F09/C

323

(Ø 67.0 mm.)

Mod.	Dim.	ET:	PCD	Code
5800	7J15H2	35	5/114.3	F37/C
5800	7J16H2	35	5/114.3	F37/C
5800	7,5J17H2	35	5/114.3	F37/C
6200	7J15H2	35	5/114.3	F37/C
6200	7J16H2	35	5/114.3	F37/C
6200	7J17H2	35	5/114.3	F37/C
6800	7J16H2	35	5/114.3	F37/C
6800	7,5J17H2	35	5/114.3	F37/C
7200	7J16H2	35	5/114.3	F37/C
7200	7J17H2	35	5/114.3	F37/C
7300	7J15H2	35	5/114.3	F37/C
7300	6,5J16H2	45	5/114.3	F37/C
7300	7J17H2	35	5/114.3	F37/C
7400	7J16H2	35	5/114.3	F37/C
7400	7,5J17H2	35	5/114.3	F37/C
7500	7J16H2	35	5/114.3	F37/C
7500	7,5J17H2	35	5/114.3	F37/C
7600	7J16H2	35	5/114.3	F37/C
7600	7,5J17H2	35	5/114.3	F37/C
7800	7J16H2	35	5/114.3	F37/C
7800	7J17H2	35	5/114.3	F37/C
TECH5	7J15H2	35	5/114.3	F37/C
TECH5	7J16H2	35	5/114.3	F37/C
TECH5	7,5J17H2	35	5/114.3	F37/C
TECH6	7,5J17H2	35	5/114.3	F37/C
9X	7,5J17H2	35	5/114.3	F37/C
9GR	7,5J17H2	35	5/114.3	F37/C

323

(Ø 54.0 mm.)

Mod.	Dim.	ET:	PCD	Code
5700	5,5J13H2	38	4/100	F09/C
5700	6J14H2	38	4/100	F09/C
5700	7J15H2	38	4/100	F09/C
5800	6J14H2	38	4/100	F09/C
5800	7J15H2	38	4/100	F09/C
5800	7J16H2	38	4/100	F09/C
6200	6,5J15H2	42	4/100	F09/C
6200	7J15H2	38	4/100	F09/C
6200	7J16H2	38	4/100	F09/C
6200	7J17H2	38	4/100	F09/C
6800	7J15H2	38	4/100	F09/C
6800	7J16H2	38	4/100	F09/C
7200	6J14H2	38	4/100	F09/C
7200	6,5J15H2	42	4/100	F09/C
7200	7J16H2	38	4/100	F09/C
7200	7J17H2	38	4/100	F09/C
7300	7J15H2	38	4/100	F09/C
7300	6,5J16H2	42	4/100	F09/C
7300	7J17H2	38	4/100	F09/C
7800	7J16H2	38	4/100	F09/C
7800	7J17H2	38	4/100	F09/C
TECH5	7J15H2	38	4/100	F09/C
TECH5	7J16H2	38	4/100	F09/C

6 Typ GH

(Ø 67.0 mm.)

Mod.	Dim.	ET	PCD	Code
7200	7,5J18H2	48	5/114.3	F37/C
7300	8J18H2	48	5/114.3	F37/C
7400	7J16H2	50	5/114.3	F37/C
7400	7,5J17H2	48	5/114.3	F37/C
7400	8J18H2	48	5/114.3	F37/C
7500	7J16H2	50	5/114.3	F37/C
7500	7,5J17H2	48	5/114.3	F37/C
7500	8J18H2	48	5/114.3	F37/C
7600	7J16H2	50	5/114.3	F37/C
7600	7,5J17H2	48	5/114.3	F37/C
7600	8J18H2	48	5/114.3	F37/C
7600	8J19H2	48	5/114.3	F37/C
7800	7J16H2	50	5/114.3	F37/C
7800	7J17H2	50	5/114.3	F37/C
7800	8J18H2	48	5/114.3	F37/C
TECH6	7,5J17H2	48	5/114.3	F37/C
TECH6	8J18H2	48	5/114.3	F37/C
9GR	7,5J17H2	48	5/114.3	F37/C
9GR	8J18H2	48	5/114.3	F37/C

6 Typ GG/GY - GG1 (Ø 67.0 mm.)

Mod.	Dim.	ET	PCD	Code
5800	7J16H2	42	5/114.3	F37/C
5800	7,5J17H2	42	5/114.3	F37/C
6200	7J16H2	42	5/114.3	F37/C
6200	7J17H2	42	5/114.3	F37/C
6800	7J16H2	42	5/114.3	F37/C
6800	7,5J17H2	42	5/114.3	F37/C
7200	6,5J15H2	40	5/114.3	F37/C
7200	7J16H2	42	5/114.3	F37/C
7200	7J17H2	42	5/114.3	F37/C
7200	7,5J18H2	48	5/114.3	F37/C
7300	6,5J16H2	45	5/114.3	F37/C
7300	7J17H2	42	5/114.3	F37/C
7300	8J18H2	48	5/114.3	F37/C
7400	7J16H2	50	5/114.3	F37/C
7400	7,5J17H2	48	5/114.3	F37/C
7400	8J18H2	48	5/114.3	F37/C
7500	7J16H2	50	5/114.3	F37/C
7500	7,5J17H2	48	5/114.3	F37/C
7500	8J18H2	48	5/114.3	F37/C
7600	7J16H2	50	5/114.3	F37/C
7600	7,5J17H2	48	5/114.3	F37/C
7600	8J18H2	48	5/114.3	F37/C
7600	8J19H2	48	5/114.3	F37/C
7800	7J16H2	50	5/114.3	F37/C
7800	7J17H2	50	5/114.3	F37/C
7800	8J18H2	48	5/114.3	F37/C
TECH5	7J16H2	42	5/114.3	F37/C
TECH5	7,5J17H2	42	5/114.3	F37/C
TECH6	7,5J17H2	48	5/114.3	F37/C
TECH6	8J18H2	48	5/114.3	F37/C
9X	7,5J17H2	42	5/114.3	F37/C
9X	8J18H2	42	5/114.3	F37/C
9X	8J19H2	42	5/114.3	F37/C
9GR	7,5J17H2	48	5/114.3	F37/C
9GR	8J18H2	48	5/114.3	F37/C
9GR	8J19H2	42	5/114.3	F37/C

Tribute (Ø 67.0 mm.)

Mod.	Dim.	ET	PCD	Code
5800	7J16H2	42	5/114.3	F37/C
5800	7,5J17H2	42	5/114.3	F37/C
6200	7J16H2	42	5/114.3	F37/C
6200	7J17H2	42	5/114.3	F37/C
6800	7J16H2	42	5/114.3	F37/C
6800	7,5J17H2	42	5/114.3	F37/C
7100-1	8J17H2	30	5/114.3	F37/C
7100-1	8,5J18H2	30	5/114.3	F37/C
7200	7J16H2	42	5/114.3	F37/C
7200	7J17H2	42	5/114.3	F37/C
7200	8J18H2	38	5/114.3	F37/C
7300	6,5J16H2	45	5/114.3	F37/C
7300	7J17H2	42	5/114.3	F37/C
7300	8J18H2	38	5/114.3	F37/C
7400	7J16H2	42	5/114.3	F37/C
7400	7,5J17H2	42	5/114.3	F37/C
7400	8J18H2	38	5/114.3	F37/C
7500	7J16H2	42	5/114.3	F37/C
7500	7,5J17H2	42	5/114.3	F37/C
7500	8J18H2	38	5/114.3	F37/C
7600	7J16H2	42	5/114.3	F37/C
7600	7,5J17H2	42	5/114.3	F37/C
7600	8J18H2	38	5/114.3	F37/C
7700-1	7J16H2	40	5/114.3	F37/C
7700-1	8J17H2	35	5/114.3	F37/C
7700-1	8,5J18H2	35	5/114.3	F37/C
7800	7J16H2	42	5/114.3	F37/C
7800	7J17H2	42	5/114.3	F37/C
7800	8J18H2	38	5/114.3	F37/C
TECH5	7J16H2	42	5/114.3	F37/C
TECH5	7,5J17H2	42	5/114.3	F37/C
TECH5	8J18H2	38	5/114.3	F37/C
TECH6	7,5J17H2	42	5/114.3	F37/C
TECH6	8J18H2	38	5/114.3	F37/C
9X	7,5J17H2	42	5/114.3	F37/C
9X	8J18H2	38	5/114.3	F37/C
9GR	7,5J17H2	42	5/114.3	F37/C
9GR	7,5J17H2	42	5/114.3	F37/C
9GR	8J18H2	38	5/114.3	F37/C

5 (Ø 67.0 mm.)

Mod.	Dim.	ET	PCD	Code
5800	7J15H2	42	5/114.3	F37/C
5800	7J16H2	42	5/114.3	F37/C
5800	7,5J17H2	42	5/114.3	F37/C
6200	7J15H2	42	5/114.3	F37/C
6200	7J16H2	42	5/114.3	F37/C
6200	7J17H2	42	5/114.3	F37/C
6800	7J16H2	42	5/114.3	F37/C
6800	7,5J17H2	42	5/114.3	F37/C
7200	6,5J15H2	40	5/114.3	F37/C
7200	7J16H2	42	5/114.3	F37/C
7200	7J17H2	50	5/114.3	F37/C
7200	7,5J18H2	48	5/114.3	F37/C
7300	7J15H2	48	5/114.3	F37/C
7300	6,5J16H2	48	5/114.3	F37/C
7300	7J17H2	50	5/114.3	F37/C
7300	8J18H2	48	5/114.3	F37/C
7400	7J16H2	50	5/114.3	F37/C
7400	7,5J17H2	48	5/114.3	F37/C
7400	8J18H2	48	5/114.3	F37/C
7500	7J16H2	50	5/114.3	F37/C
7500	7,5J17H2	48	5/114.3	F37/C
7500	8J18H2	48	5/114.3	F37/C
7600	7J16H2	50	5/114.3	F37/C
7600	7,5J17H2	48	5/114.3	F37/C
7600	8J18H2	48	5/114.3	F37/C
7600	7J16H2	50	5/114.3	F37/C
7600	7,5J17H2	48	5/114.3	F37/C
7600	8J18H2	48	5/114.3	F37/C
7800	7J16H2	50	5/114.3	F37/C
7800	7J17H2	50	5/114.3	F37/C
7800	8J18H2	48	5/114.3	F37/C
7800	7J16H2	50	5/114.3	F37/C
7800	7J17H2	50	5/114.3	F37/C
7800	8J18H2	48	5/114.3	F37/C
TECH5	7J15H2	42	5/114.3	F37/C
TECH5	7J16H2	42	5/114.3	F37/C
TECH5	7,5J17H2	42	5/114.3	F37/C
TECH6	7,5J17H2	48	5/114.3	F37/C
TECH6	8J18H2	48	5/114.3	F37/C
9X	7,5J17H2	42	5/114.3	F37/C
9X	8J18H2	42	5/114.3	F37/C
9GR	7,5J17H2	48	5/114.3	F37/C
9GR	8J18H2	48	5/114.3	F37/C

Attenzione: togliere anellino elastico dal tirante

Achtung: Klammer bei Bremsscheibe entfernen

Attention: spring clip must be removed from wheel stud

Atención: saquen el anillo elástico del tirante

3

(Ø 67.0 mm.)

Mod.	Dim.	ET	PCD	Code
5800	7J15H2	42	5/114.3	F37/C
5800	7J16H2	42	5/114.3	F37/C
5800	7,5J17H2	42	5/114.3	F37/C
6200	7J15H2	42	5/114.3	F37/C
6200	7J16H2	42	5/114.3	F37/C
6200	7J17H2	42	5/114.3	F37/C
6800	7J16H2	42	5/114.3	F37/C
6800	7,5J17H2	42	5/114.3	F37/C
7200	6,5J15H2	40	5/114.3	F37/C
7200	7J16H2	42	5/114.3	F37/C
7200	7J17H2	50	5/114.3	F37/C
7200	7,5J18H2	48	5/114.3	F37/C
7300	7J15H2	48	5/114.3	F37/C
7300	6,5J16H2	48	5/114.3	F37/C
7300	7J17H2	50	5/114.3	F37/C
7300	8J18H2	48	5/114.3	F37/C
7400	7J16H2	50	5/114.3	F37/C
7400	7,5J17H2	48	5/114.3	F37/C
7400	8J18H2	48	5/114.3	F37/C
7500	7J16H2	50	5/114.3	F37/C
7500	7,5J17H2	48	5/114.3	F37/C
7500	8J18H2	48	5/114.3	F37/C
7600	7J16H2	50	5/114.3	F37/C
7600	7,5J17H2	48	5/114.3	F37/C
7600	8J18H2	48	5/114.3	F37/C
7800	7J16H2	50	5/114.3	F37/C
7800	7J17H2	50	5/114.3	F37/C
7800	8J18H2	48	5/114.3	F37/C
TECH5	7J15H2	42	5/114.3	F37/C
TECH5	7J16H2	42	5/114.3	F37/C
TECH5	7,5J17H2	42	5/114.3	F37/C
TECH6	7,5J17H2	48	5/114.3	F37/C
TECH6	8J18H2	48	5/114.3	F37/C
9X	7,5J17H2	42	5/114.3	F37/C
9X	8J18H2	42	5/114.3	F37/C
9GR	7,5J17H2	48	5/114.3	F37/C
9GR	8J18H2	48	5/114.3	F37/C

Attenzione: togliere anellino elastico dal tirante

Achtung: Klammer bei Bremsscheibe entfernen

Attention: spring clip must be removed from wheel stud

Atención: saquen el anillo elástico del tirante

MX3-MX5

(Ø 54.0 mm.)

Mod.	Dim.	ET	PCD	Code
5700	6J14H2	38	4/100	F09/C
5700	7J15H2	38	4/100	F09/C
5800	6J14H2	38	4/100	F09/C
5800	7J15H2	38	4/100	F09/C
5800	7J16H2	38	4/100	F09/C
6200	5,5J14H2	38	4/100	F09/C
6200	6J14H2	38	4/100	F09/C
6200	6,5J15H2	42	4/100	F09/C
6200	7J15H2	38	4/100	F09/C
6200	7J16H2	38	4/100	F09/C
6200	7J17H2	38	4/100	F09/C
6800	7J15H2	38	4/100	F09/C
6800	7J16H2	38	4/100	F09/C
7200	6J14H2	38	4/100	F09/C
7200	6,5J15H2	42	4/100	F09/C
7200	7J16H2	38	4/100	F09/C
7200	7J17H2	38	4/100	F09/C
7300	7J15H2	38	4/100	F09/C
7300	6,5J16H2	42	4/100	F09/C
7300	7J17H2	38	4/100	F09/C
7800	7J16H2	38	4/100	F09/C
7800	7J17H2	38	4/100	F09/C
TECH5	7J15H2	38	4/100	F09/C
TECH5	7J16H2	38	4/100	F09/C

2 Typ DE

(Ø 54.0 mm.)

Mod.	Dim.	ET	PCD	Code
5700	6J14H2	38	4/100	F09/C
5700	7J15H2	38	4/100	F09/C
5800	6J14H2	38	4/100	F09/C
5800	7J15H2	38	4/100	F09/C
5800	7J16H2	38	4/100	F09/C
6200	6J14H2	38	4/100	F09/C
6200	6,5J15H2	42	4/100	F09/C
6200	7J15H2	38	4/100	F09/C
6200	7J16H2	38	4/100	F09/C
6200	7J17H2	38	4/100	F09/C
6800	7J15H2	38	4/100	F09/C
6800	7J16H2	38	4/100	F09/C
7200	6J14H2	38	4/100	F09/C
7200	6,5J15H2	42	4/100	F09/C
7200	7J16H2	38	4/100	F09/C
7200	7J17H2	38	4/100	F09/C
7300	7J15H2	38	4/100	F09/C
7300	6,5J16H2	42	4/100	F09/C
7300	7J17H2	38	4/100	F09/C
7800	7J16H2	38	4/100	F09/C
7800	7J17H2	38	4/100	F09/C
TECH5	7J15H2	38	4/100	F09/C
TECH5	7J16H2	38	4/100	F09/C

MX6

(Ø 67.0 mm.)

Mod.	Dim.	ET	PCD	Code
5800	7J15H2	35	5/114.3	F37/C
5800	7J16H2	35	5/114.3	F37/C
5800	7,5J17H2	35	5/114.3	F37/C
6200	7J15H2	35	5/114.3	F37/C
6200	7J16H2	35	5/114.3	F37/C
6200	7J17H2	35	5/114.3	F37/C
6800	7J16H2	35	5/114.3	F37/C
6800	7,5J17H2	35	5/114.3	F37/C
7200	6,5J15H2	40	5/114.3	F37/C
7200	7J16H2	35	5/114.3	F37/C
7200	7J17H2	35	5/114.3	F37/C
7300	7J15H2	35	5/114.3	F37/C
7300	6,5J16H2	35	5/114.3	F37/C
7300	7J17H2	35	5/114.3	F37/C
7400	7J16H2	35	5/114.3	F37/C
7400	7,5J17H2	35	5/114.3	F37/C
7500	7J16H2	35	5/114.3	F37/C
7500	7,5J17H2	35	5/114.3	F37/C
7600	7J16H2	35	5/114.3	F37/C
7600	7,5J17H2	35	5/114.3	F37/C
7800	7J16H2	35	5/114.3	F37/C
7800	7J17H2	35	5/114.3	F37/C
TECH5	7J15H2	35	5/114.3	F37/C
TECH5	7J16H2	35	5/114.3	F37/C
TECH5	7,5J17H2	35	5/114.3	F37/C
TECH6	7,5J17H2	35	5/114.3	F37/C
9X	7,5J17H2	35	5/114.3	F37/C
9GR	7,5J17H2	35	5/114.3	F37/C

CX-7

(Ø 67.0 mm.)

Mod.	Dim.	ET	PCD	Code
7400	7,5J17H2	48	5/114.3	F37/C
7400	8J18H2	48	5/114.3	F37/C
7500	7,5J17H2	48	5/114.3	F37/C
7500	8J18H2	48	5/114.3	F37/C
7600	7,5J17H2	48	5/114.3	F37/C
7600	8J18H2	48	5/114.3	F37/C
7600	8J19H2	42	5/114.3	F37/C
7800	7J17H2	50	5/114.3	F37/C
7800	8J18H2	48	5/114.3	F37/C
TECH6	7,5J17H2	48	5/114.3	F37/C
TECH6	8J18H2	48	5/114.3	F37/C
9X	8J19H2	42	5/114.3	F37/C
9GR	7,5J17H2	48	5/114.3	F37/C
9GR	8J18H2	48	5/114.3	F37/C
9GR	8J19H2	42	5/114.3	F37/C

RX-8

(Ø 67.0 mm.)

Mod.	Dim.	ET:	PCD	Code
5800	7,5J17H2	42	5/114.3	F37/C
6200	7J17H2	42	5/114.3	F37/C
6800	7,5J17H2	42	5/114.3	F37/C
7200	7J17H2	42	5/114.3	F37/C
7200	8J18H2	38	5/114.3	F37/C
7300	7J17H2	42	5/114.3	F37/C
7300	8J18H2	48	5/114.3	F37/C
7400	7,5J17H2	48	5/114.3	F37/C
7400	8J18H2	48	5/114.3	F37/C
7500	7,5J17H2	48	5/114.3	F37/C
7500	8J18H2	48	5/114.3	F37/C
7600	7,5J17H2	48	5/114.3	F37/C
7600	8J18H2	48	5/114.3	F37/C
7600	8J19H2	48	5/114.3	F37/C
7800	7J17H2	50	5/114.3	F37/C
7800	8J18H2	42	5/114.3	F37/C
TECH5	7,5J17H2	42	5/114.3	F37/C
TECH5	8J18H2	38	5/114.3	F37/C
TECH6	7,5J17H2	48	5/114.3	F37/C
TECH6	8J18H2	48	5/114.3	F37/C
9X	7,5J17H2	42	5/114.3	F37/C
9X	8J18H2	38	5/114.3	F37/C
9GR	7,5J17H2	48	5/114.3	F37/C
9GR	8J18H2	48	5/114.3	F37/C

*excl.170Kw

MX5 Typ NC1

(Ø 67.0 mm.)

Mod.	Dim.	ET	PCD	Code
7200	7J17H2	50	5/114.3	F37/C
7200	7,5J18H2	48	5/114.3	F37/C
7300	6,5J16H2	48	5/114.3	F37/C
7300	7J17H2	50	5/114.3	F37/C
7300	8J18H2	48	5/114.3	F37/C
7400	7J16H2	50	5/114.3	F37/C
7400	7,5J17H2	48	5/114.3	F37/C
7400	8J18H2	48	5/114.3	F37/C
7500	7J16H2	50	5/114.3	F37/C
7500	7,5J17H2	48	5/114.3	F37/C
7500	8J18H2	48	5/114.3	F37/C
7600	7J16H2	50	5/114.3	F37/C
7600	7,5J17H2	48	5/114.3	F37/C
7600	8J18H2	48	5/114.3	F37/C
7800	7J16H2	50	5/114.3	F37/C
7800	7J17H2	50	5/114.3	F37/C
7800	8J18H2	48	5/114.3	F37/C
TECH6	7,5J17H2	48	5/114.3	F37/C
TECH6	8J18H2	48	5/114.3	F37/C
9GR	7,5J17H2	48	5/114.3	F37/C
9GR	8J18H2	48	5/114.3	F37/C

Premacy

(Ø 67.0 mm.)

Mod.	Dim.	ET:	PCD	Code
5800	6J14H2	42	5/114.3	F37/C
5800	7J15H2	42	5/114.3	F37/C
5800	7J16H2	42	5/114.3	F37/C
5800	7,5J17H2	42	5/114.3	F37/C
6200	6J14H2	42	5/114.3	F37/C
6200	7J15H2	42	5/114.3	F37/C
6200	7J16H2	42	5/114.3	F37/C
6200	7J17H2	42	5/114.3	F37/C
6800	7J16H2	42	5/114.3	F37/C
6800	7,5J17H2	42	5/114.3	F37/C
7200	6J14H2	42	5/114.3	F37/C
7200	6,5J15H2	40	5/114.3	F37/C
7200	7J16H2	42	5/114.3	F37/C
7200	7J17H2	42	5/114.3	F37/C
7300	7J15H2	42	5/114.3	F37/C
7300	6,5J16H2	45	5/114.3	F37/C
7300	7J17H2	42	5/114.3	F37/C
7400	7J16H2	42	5/114.3	F37/C
7400	7,5J17H2	42	5/114.3	F37/C
7500	7J16H2	42	5/114.3	F37/C
7500	7,5J17H2	42	5/114.3	F37/C
7600	7J16H2	42	5/114.3	F37/C
7600	7,5J17H2	42	5/114.3	F37/C
7800	7J16H2	42	5/114.3	F37/C
7800	7J17H2	42	5/114.3	F37/C
TECH5	7J15H2	42	5/114.3	F37/C
TECH5	7J16H2	42	5/114.3	F37/C
TECH5	7,5J17H2	42	5/114.3	F37/C
TECH6	7,5J17H2	42	5/114.3	F37/C
9X	7,5J17H2	42	5/114.3	F37/C
9GR	7,5J17H2	42	5/114.3	F37/C

MPV

(Ø 67.0 mm.)

Mod.	Dim.	ET:	PCD	Code
5800	7J15H2	42	5/114.3	F37/C
5800	7J16H2	42	5/114.3	F37/C
5800	7,5J17H2	42	5/114.3	F37/C
6200	7J15H2	42	5/114.3	F37/C
6200	7J16H2	42	5/114.3	F37/C
6200	7J17H2	42	5/114.3	F37/C
6800	7J16H2	42	5/114.3	F37/C
6800	7,5J17H2	42	5/114.3	F37/C
7200	6,5J15H2	40	5/114.3	F37/C
7200	7J16H2	42	5/114.3	F37/C
7200	7J17H2	42	5/114.3	F37/C
7300	7J15H2	42	5/114.3	F37/C
7300	6,5J16H2	45	5/114.3	F37/C
7300	7J17H2	42	5/114.3	F37/C
7400	7J16H2	42	5/114.3	F37/C
7400	7,5J17H2	42	5/114.3	F37/C
7500	7J16H2	42	5/114.3	F37/C
7500	7,5J17H2	42	5/114.3	F37/C
7600	7J16H2	42	5/114.3	F37/C
7600	7,5J17H2	42	5/114.3	F37/C
7800	7J16H2	42	5/114.3	F37/C
7800	7J17H2	42	5/114.3	F37/C
TECH5	7J15H2	42	5/114.3	F37/C
TECH5	7J16H2	42	5/114.3	F37/C
TECH5	7,5J17H2	42	5/114.3	F37/C
TECH6	7,5J17H2	42	5/114.3	F37/C
9X	7,5J17H2	42	5/114.3	F37/C
9GR	7,5J17H2	42	5/114.3	F37/C

Pick up,E2000,E2200

(Ø 108.0 mm.)

Mod.	Dim.	ET	PCD	Code
7100	7J15H2	20	6/139.7	F58/C
7100	8J15H2	20	6/139.7	F58/C
7100	7J16H2	20	6/139.7	F58/C
7100	8J16H2	20	6/139.7	F58/C
7100	8J17H2	20	6/139.7	F58/C
7100	8.5J18H2	20	6/139.7	F58/C