

Outlander Typ CU0W (Ø 67.0 mm.)

Mod.	Dim.	ET:	PCD	Code
5800	7J16H2	42	5/114.3	F37/C
5800	7,5J17H2	35	5/114.3	F37/C
6200	7J16H2	42	5/114.3	F37/C
6200	7J17H2	42	5/114.3	F37/C
7200	7J16H2	42	5/114.3	F37/C
7200	7J17H2	42	5/114.3	F37/C
7200	7,5J18H2	38	5/114.3	F37/C
7300	6,5J16H2	35	5/114.3	F37/C
7300	7J17H2	42	5/114.3	F37/C
7400	7J16H2	42	5/114.3	F37/C
7400	7,5J17H2	35	5/114.3	F37/C
7400	8J18H2	30	5/114.3	F37/C
7500	7J16H2	42	5/114.3	F37/C
7500	7,5J17H2	35	5/114.3	F37/C
7500	8J18H2	30	5/114.3	F37/C
7600	7J16H2	42	5/114.3	F37/C
7600	7,5J17H2	35	5/114.3	F37/C
7600	8J18H2	30	5/114.3	F37/C
7600	8J19H2	30	5/114.3	F37/C
7700-1	7J16H2	40	5/114.3	F37/C
7800	7J16H2	42	5/114.3	F37/C
7800	7J17H2	42	5/114.3	F37/C
7800	8J18H2	30	5/114.3	F37/C
TECH6	7,5J17H2	35	5/114.3	F37/C
TECH6	8J18H2	30	5/114.3	F37/C
9X	7,5J17H2	35	5/114.3	F37/C
9GR	7,5J17H2	35	5/114.3	F37/C

Colt / Lancer (Ø 56.0 mm.)

Mod.	Dim.	ET:	PCD	Code
5700	5,5J13H2	38	4/100	F10/C
5700	6J14H2	38	4/100	F10/C
5700	7J15H2	38	4/100	F10/C
5800	6J14H2	38	4/100	F10/C
5800	7J15H2	38	4/100	F10/C
6200	5,5J14H2	38	4/100	F10/C
6200	6J14H2	38	4/100	F10/C
6200	6,5J15H2	42	4/100	F10/C
6200	7J15H2	38	4/100	F10/C
6200	7J16H2	38	4/100	F10/C
6800	7J15H2	38	4/100	F10/C
6800	7J16H2	38	4/100	F10/C
7200	6J14H2	38	4/100	F10/C
7200	6,5J15H2	42	4/100	F10/C
7200	7J16H2	38	4/100	F10/C
7300	7J15H2	38	4/100	F10/C
7300	6,5J16H2	42	4/100	F10/C
7800	7J16H2	38	4/100	F10/C
TECH5	7J15H2	38	4/100	F10/C
TECH5	7J16H2	38	4/100	F10/C

Galant (Ø 67.0 mm.)

Mod.	Dim.	ET:	PCD	Code
5800	6J14H2	38	4/114.3	F33/C
5800	7J15H2	38	4/114.3	F33/C
5800	7J16H2	38	4/114.3	F33/C
6200	5,5J14H2	38	4/114.3	F33/C
6200	6J14H2	38	4/114.3	F33/C
6200	6,5J15H2	42	4/114.3	F33/C
6200	7J15H2	38	4/114.3	F33/C
6200	7J16H2	38	4/114.3	F33/C
6200	7J17H2	38	4/114.3	F33/C
6800	7J16H2	38	4/114.3	F33/C
7200	6J14H2	38	4/114.3	F33/C
7200	6,5J15H2	42	4/114.3	F33/C
7200	7J16H2	38	4/114.3	F33/C
7200	7J17H2	38	4/114.3	F33/C
7300	7J15H2	38	4/114.3	F33/C
7300	6,5J16H2	42	4/114.3	F33/C
7300	7J17H2	38	4/114.3	F33/C
7800	7J16H2	38	4/114.3	F33/C
7800	7J17H2	38	4/114.3	F33/C
TECH5	7J15H2	38	4/114.3	F33/C
TECH5	7J16H2	38	4/114.3	F33/C

Space Star (Ø 67.0 mm.)

Mod.	Dim.	ET:	PCD	Code
5800	6J14H2	38	4/114.3	F33/C
5800	7J15H2	38	4/114.3	F33/C
5800	7J16H2	38	4/114.3	F33/C
6200	5,5J14H2	38	4/114.3	F33/C
6200	6J14H2	38	4/114.3	F33/C
6200	6,5J15H2	42	4/114.3	F33/C
6200	7J15H2	38	4/114.3	F33/C
6200	7J16H2	38	4/114.3	F33/C
6200	7J17H2	38	4/114.3	F33/C
6800	7J16H2	38	4/114.3	F33/C
7200	6J14H2	38	4/114.3	F33/C
7200	6,5J15H2	42	4/114.3	F33/C
7200	7J16H2	38	4/114.3	F33/C
7200	7J17H2	38	4/114.3	F33/C
7300	7J15H2	38	4/114.3	F33/C
7300	6,5J16H2	42	4/114.3	F33/C
7300	7J17H2	38	4/114.3	F33/C
7800	7J16H2	38	4/114.3	F33/C
7800	7J17H2	38	4/114.3	F33/C
TECH5	7J15H2	38	4/114.3	F33/C
TECH5	7J16H2	38	4/114.3	F33/C

Colt Typ Z30 (Ø 67.0 mm.)

Mod.	Dim.	ET:	PCD	Code
5800	6J14H2	38	4/114.3	F33/C
5800	7J15H2	38	4/114.3	F33/C
5800	7J16H2	38	4/114.3	F33/C
6200	5,5J14H2	38	4/114.3	F33/C
6200	6J14H2	38	4/114.3	F33/C
6200	6,5J15H2	42	4/114.3	F33/C
6200	7J15H2	38	4/114.3	F33/C
6200	7J16H2	38	4/114.3	F33/C
6200	7J17H2	38	4/114.3	F33/C
6800	7J16H2	38	4/114.3	F33/C
7200	6J14H2	38	4/114.3	F33/C
7200	6,5J15H2	42	4/114.3	F33/C
7200	7J16H2	38	4/114.3	F33/C
7200	7J17H2	38	4/114.3	F33/C
7300	7J15H2	38	4/114.3	F33/C
7300	6,5J16H2	42	4/114.3	F33/C
7300	7J17H2	38	4/114.3	F33/C
7800	7J16H2	38	4/114.3	F33/C
7800	7J17H2	38	4/114.3	F33/C
TECH5	7J15H2	38	4/114.3	F33/C
TECH5	7J16H2	38	4/114.3	F33/C

Outlander Typ CWO (Ø 67.0 mm.)

Mod.	Dim.	ET:	PCD	Code
5800	7J16H2	35	5/114.3	F37/C
5800	7,5J17H2	35	5/114.3	F37/C
6200	7J16H2	35	5/114.3	F37/C
6200	7J17H2	35	5/114.3	F37/C
7200	7J16H2	35	5/114.3	F37/C
7200	7J17H2	35	5/114.3	F37/C
7200	7,5J18H2	38	5/114.3	F37/C
7200	8J18H2	38	5/114.3	F37/C
7200	8,5J20H2	35	5/114.3	F37/C
7300	7J17H2	35	5/114.3	F37/C
7300	8J18H2	38	5/114.3	F37/C
7400	7J16H2	35	5/114.3	F37/C
7400	7,5J17H2	35	5/114.3	F37/C
7400	8J18H2	38	5/114.3	F37/C
7500	7J16H2	35	5/114.3	F37/C
7500	7,5J17H2	35	5/114.3	F37/C
7500	8J18H2	38	5/114.3	F37/C
7600	7J16H2	35	5/114.3	F37/C
7600	7,5J17H2	35	5/114.3	F37/C
7600	8J18H2	38	5/114.3	F37/C
7600	8J19H2	38	5/114.3	F37/C
7700-1	7J16H2	40	5/114.3	F37/C
7700-1	8J17H2	35	5/114.3	F37/C
7700-1	8,5J18H2	30	5/114.3	F37/C
7800	7J16H2	35	5/114.3	F37/C
7800	7J17H2	35	5/114.3	F37/C
7800	8J18H2	38	5/114.3	F37/C
TECH6	7,5J17H2	35	5/114.3	F37/C
TECH6	8J18H2	38	5/114.3	F37/C
9X	7,5J17H2	35	5/114.3	F37/C
9X	8J18H2	38	5/114.3	F37/C
9X	8J19H2	38	5/114.3	F37/C
9GR	7,5J17H2	35	5/114.3	F37/C
9GR	8J18H2	38	5/114.3	F37/C
9GR	8J19H2	38	5/114.3	F37/C

Colt Typ Z3B (Ø 67.0 mm.)

Mod.	Dim.	ET:	PCD	Code
5800	7J16H2	38	4/114.3	F33/C
6200	7J16H2	38	4/114.3	F33/C
6200	7J17H2	38	4/114.3	F33/C
6800	7J16H2	38	4/114.3	F33/C
7200	7J16H2	38	4/114.3	F33/C
7200	7J17H2	38	4/114.3	F33/C
7300	6,5J16H2	42	4/114.3	F33/C
7300	7J17H2	38	4/114.3	F33/C
7800	7J16H2	38	4/114.3	F33/C
7800	7J17H2	38	4/114.3	F33/C
TECH5	7J16H2	38	4/114.3	F33/C

Grandis (Ø 67.0 mm.)

Mod.	Dim.	ET:	PCD	Code
5800	7J16H2	42	5/114.3	F37/C
5800	7,5J17H2	35	5/114.3	F37/C
6200	7J16H2	42	5/114.3	F37/C
6200	7J17H2	42	5/114.3	F37/C
6800	7J16H2	42	5/114.3	F37/C
6800	7,5J17H2	35	5/114.3	F37/C
7200	7J16H2	42	5/114.3	F37/C
7200	7J17H2	42	5/114.3	F37/C
7200	7,5J18H2	38	5/114.3	F37/C
7200	8J18H2	38	5/114.3	F37/C
7300	6,5J16H2	45	5/114.3	F37/C
7300	7J17H2	42	5/114.3	F37/C
7300	8J18H2	38	5/114.3	F37/C
7400	7J16H2	42	5/114.3	F37/C
7400	7,5J17H2	35	5/114.3	F37/C
7400	8J18H2	38	5/114.3	F37/C
7500	7J16H2	42	5/114.3	F37/C
7500	7,5J17H2	35	5/114.3	F37/C
7500	8J18H2	38	5/114.3	F37/C
7600	7J16H2	42	5/114.3	F37/C
7600	7,5J17H2	35	5/114.3	F37/C
7600	8J18H2	38	5/114.3	F37/C
7600	7J16H2	42	5/114.3	F37/C
7600	7,5J17H2	35	5/114.3	F37/C
7600	8J18H2	38	5/114.3	F37/C
7600	8J19H2	38	5/114.3	F37/C
7800	7J16H2	42	5/114.3	F37/C
7800	7J17H2	42	5/114.3	F37/C
7800	8J18H2	38	5/114.3	F37/C
TECH5	7J16H2	42	5/114.3	F37/C
TECH5	7,5J17H2	35	5/114.3	F37/C
TECH5	8J18H2	38	5/114.3	F37/C
TECH6	7,5J17H2	35	5/114.3	F37/C
TECH6	8J18H2	38	5/114.3	F37/C
9X	7,5J17H2	35	5/114.3	F37/C
9X	8J18H2	38	5/114.3	F37/C
9X	8J19H2	38	5/114.3	F37/C
9GR	7,5J17H2	35	5/114.3	F37/C
9GR	8J18H2	38	5/114.3	F37/C
9GR	8J19H2	38	5/114.3	F37/C

Space Gear 4WD (Ø 108.0 mm.)

Mod.	Dim.	ET:	PCD	Code
7100	7J15H2	20	6/139.7	F58/C
7100	8J15H2	20	6/139.7	F58/C
7100	7J16H2	20	6/139.7	F58/C
7100	8J16H2	20	6/139.7	F58/C
7100	8J17H2	20	6/139.7	F58/C
7100	8,5J18H2	20	6/139.7	F58/C

Pinin (Ø 67.0 mm.)

Mod.	Dim.	ET:	PCD	Code
5800	7J16H2	35	5/114.3	F37/C
5800	7,5J17H2	35	5/114.3	F37/C
6200	7J16H2	35	5/114.3	F37/C
6200	7J17H2	35	5/114.3	F37/C
6800	7J16H2	35	5/114.3	F37/C
6800	7,5J17H2	35	5/114.3	F37/C
7100-1	8J17H2	30	5/114.3	F37/C
7100-1	8,5J18H2	30	5/114.3	F37/C
7200	7J16H2	35	5/114.3	F37/C
7200	7J17H2	35	5/114.3	F37/C
7200	8J18H2	38	5/114.3	F37/C
7300	6,5J16H2	35	5/114.3	F37/C
7300	7J17H2	35	5/114.3	F37/C
7300	8J18H2	38	5/114.3	F37/C
7400	7J16H2	35	5/114.3	F37/C
7400	7,5J17H2	35	5/114.3	F37/C
7400	8J18H2	30	5/114.3	F37/C
7500	7J16H2	35	5/114.3	F37/C
7500	7,5J17H2	35	5/114.3	F37/C
7500	8J18H2	30	5/114.3	F37/C
7600	7J16H2	35	5/114.3	F37/C
7600	7,5J17H2	35	5/114.3	F37/C
7600	8J18H2	30	5/114.3	F37/C
7700-1	8J17H2	35	5/114.3	F37/C
7700-1	8,5J18H2	30	5/114.3	F37/C
7800	7J16H2	35	5/114.3	F37/C
7800	7J17H2	35	5/114.3	F37/C
7800	8J18H2	30	5/114.3	F37/C
TECH5	7J16H2	35	5/114.3	F37/C
TECH5	7,5J17H2	35	5/114.3	F37/C
TECH5	8J18H2	38	5/114.3	F37/C
TECH6	7,5J17H2	35	5/114.3	F37/C
TECH6	8J18H2	30	5/114.3	F37/C
9X	7,5J17H2	35	5/114.3	F37/C
9X	8J18H2	38	5/114.3	F37/C
9GR	7,5J17H2	35	5/114.3	F37/C
9GR	8J18H2	38	5/114.3	F37/C

L200, L300 Country 4x4 (Ø 108.0 mm.)

Mod.	Dim.	ET:	PCD	Code
7100	7J15H2	0	6/139.7	F58/C
7100	8J15H2	0	6/139.7	F58/C
7100	7J16H2	0	6/139.7	F58/C
7100	8J16H2	0	6/139.7	F58/C
7100	8J17H2	0	6/139.7	F58/C
7100	8,5J18H2	0	6/139.7	F58/C
7700	7J16H2	0	6/139.7	F58/C
7700	8J17H2	0	6/139.7	F58/C
7700	8,5J18H2	0	6/139.7	F58/C

Lancer Mod. 03 ⇒ (Ø 67.0 mm.)

Mod.	Dim.	ET:	PCD	Code
5800	7J15H2	38	4/114.3	F33/C
5800	7J16H2	38	4/114.3	F33/C
6200	6,5J15H2	42	4/114.3	F33/C
6200	7J15H2	38	4/114.3	F33/C
6200	7J16H2	38	4/114.3	F33/C
6200	7J17H2	38	4/114.3	F33/C
6800	7J16H2	38	4/114.3	F33/C
7200	6,5J15H2	42	4/114.3	F33/C
7200	7J16H2	38	4/114.3	F33/C
7200	7J17H2	38	4/114.3	F33/C
7300	7J15H2	38	4/114.3	F33/C
7300	6,5J16H2	42	4/114.3	F33/C
7300	7J17H2	38	4/114.3	F33/C
7800	7J16H2	38	4/114.3	F33/C
7800	7J17H2	38	4/114.3	F33/C
TECH5	7J15H2	38	4/114.3	F33/C
TECH5	7J16H2	38	4/114.3	F33/C

Pajero Typ V60 (Ø 67.0 mm.)

Mod.	Dim.	ET:	PCD	Code
7100 *	7J15H2	20	6/139.7	F58/C
7100 *	8J15H2	20	6/139.7	F58/C
7100	7J16H2	20	6/139.7	F58/C
7100	8J16H2	20	6/139.7	F58/C
7100-1	8J17H2	35	6/139.7	F58/C
7100-1	8,5J18H2	35	6/139.7	F58/C
7700	7J16H2	40	6/139.7	F58/C
7700	8J17H2	35	6/139.7	F58/C
7700	8,5J18H2	35	6/139.7	F58/C

*excl. V60 mod.2006

Pajero (Ø 108.0 mm.)

Mod.	Dim.	ET:	PCD	Code
7100 *	7J15H2	0	6/139.7	F58/C
7100 *	8J15H2	0	6/139.7	F58/C
7100	7J16H2	0	6/139.7	F58/C
7100	8J16H2	0	6/139.7	F58/C
7100	8J17H2	0	6/139.7	F58/C
7100	8,5J18H2	0	6/139.7	F58/C
7700	7J16H2	0	6/139.7	F58/C
7700	8J17H2	0	6/139.7	F58/C
7700	8,5J18H2	0	6/139.7	F58/C

*excl. Pajero Sport

Pajero Typ V80 (Ø 67.0 mm.)

Mod.	Dim.	ET:	PCD	Code
7700	8J17H2	35	6/139.7	F58/C
7700	8,5J18H2	35	6/139.7	F58/C

Lancer Mod. 03 ⇒ (Ø 67.0 mm.)

Mod.	Dim.	ET:	PCD	Code
5800	7J16H2	35	5/114.3	F37/C
5800	7,5J17H2	35	5/114.3	F37/C
6200	7J16H2	35	5/114.3	F37/C
6200	7J17H2	35	5/114.3	F37/C
6800	7J16H2	35	5/114.3	F37/C
6800	7,5J17H2	35	5/114.3	F37/C
7200	7J16H2	35	5/114.3	F37/C
7200	7J17H2	35	5/114.3	F37/C
7200	7,5J18H2	38	5/114.3	F37/C
7200	8J18H2	38	5/114.3	F37/C
7300	6,5J16H2	35	5/114.3	F37/C
7300	7J17H2	35	5/114.3	F37/C
7300	8J18H2	38	5/114.3	F37/C
7400	7J16H2	35	5/114.3	F37/C
7400	7,5J17H2	35	5/114.3	F37/C
7400	8J18H2	30	5/114.3	F37/C
7500	7J16H2	35	5/114.3	F37/C
7500	7,5J17H2	35	5/114.3	F37/C
7500	8J18H2	30	5/114.3	F37/C
7600	7J16H2	35	5/114.3	F37/C
7600	7,5J17H2	35	5/114.3	F37/C
7600	8J18H2	30	5/114.3	F37/C
7800	7J16H2	35	5/114.3	F37/C
7800	7J17H2	35	5/114.3	F37/C
7800	8J18H2	30	5/114.3	F37/C
TECH5	7J16H2	35	5/114.3	F37/C
TECH5	7,5J17H2	35	5/114.3	F37/C
TECH5	8J18H2	38	5/114.3	F37/C
TECH6	7,5J17H2	35	5/114.3	F37/C
TECH6	8J18H2	30	5/114.3	F37/C
9X	7,5J17H2	35	5/114.3	F37/C
9X	8J18H2	38	5/114.3	F37/C
9GR	7,5J17H2	35	5/114.3	F37/C
9GR	8J18H2	38	5/114.3	F37/C

L200 Typ KAOT (Ø 67.0 mm.)

Mod.	Dim.	ET:	PCD	Code
7100	7J16H2	20	6/139.7	F58/C
7100	8J16H2	20	6/139.7	F58/C
7100	8J17H2	20	6/139.7	F58/C
7100	8,5J18H2	20	6/139.7	F58/C
7700	7J16H2	30	6/139.7	F58/C
7700	8J17H2	35	6/139.7	F58/C
7700	8,5J18H2	20	6/139.7	F58/C